ELECTRIC SIGNALLING ON RAILWAYS

(1) See Arts. **3** and **4.**
(2) (*a*) See Art. **7.**
(*b*) See Art. **17.**
(3) See Art. **47.**
(4) See Art. **57.**
(5) See Art. **20.**
(6) See Art. **7.**
(7) See Art. **5.**
(8) See Art. **27.**
(9) See Art. **48.**
(10) See Art. **34.**
(11) See Art. **50.**
(12) See Art. **39.**
(13) See Art. **22.**
(14) See Arts. **31** and **32.**
(15) See Art. **28.**
(16) See Art. **66.**
(17) See Art. **17.**
(18) See Art. **24.**
(19) (*a*) See Art. **62.**
(*b*) See Art. **63.**
(20) See Arts. **67** to **69.**

INDEX

NOTE.—All items in this Index refer first to the section and then to the page of the section. Thus, *Adhesion, §63, p34,* means that *Adhesion* will be found on page 34 of section 63. When there are several items having the same key word, this is, for brevity, omitted after the first reference, and the other items are indented, or set in, from the left margin, to indicate this omission, which never consists of more than one word. Thus, under the key word *Air* is found the indented item, *supply, Systems of ;* this is read *Systems of air supply,* the capitalization of *Systems* denoting the first word of the reference.

A

Absorption of energy, §71, p21.
Accelerate, Force required to, §69, p11.
Accelerating, Energy consumed in, §71, p8.
Acceleration, §63, pp29, 30 ; §69, pp5, 10.
  Advantages of quick, §69, p11.
  and kinetic energy, Relation of, §69, p23.
  Effect of high, on motors and plant, §69, p25.
  Finding, from total force, §69, p13.
  Force required to produce, §63, p32.
  Limits to, §69, p14.
  Negative, §67, p3.
  of steam locomotives and electric-motor coaches, §69, p15.
  Producing given, §69, p13.
  Rotational, §69, p12.
  Total driving force during, §63, p33.
  Translational, §69, p12.
  Variation of current during, §69, p20.
  with three-speed equipment, §71, p16.
  with two-speed equipment, §71, p16.
Act, Light Railways, §63, p3.
  Tramways, §63, p3.
Adhesion, §63, p34.
  Coefficient of, §67, p2 ; §69, p14.
  Limit of, §63, p34.
  under braking conditions, §69, p14.
Advance starting signal, §73, p32.
Air-brake equipment, Typical, §67, p28.
  friction, §69, p7.
  -operated collector, §70, p27.
  -storage system, §67, p26.
  supply, Systems of, §67, p26.
Alternating-current and direct-current unit-switch control, Westinghouse, §72, p56.
  current, Apparatus for direct and, §72, p56.
Alternating—(Continued)
  current, Arrangement for, §72, p57.
  -current boosters, §72, p88.
  -current multiple-unit control, Sprague-General-Electric, §72, p59.
  -current railways, Development of, §71, p1.
  -current railways, Feeder systems on, §72, p87.
  -current series motor, §72, pp1, 2.
  -current series motor, Characteristic curves of, §72, p18.
  -current series motor on direct current, Operation of, §72, p20.
  -current series motor, Speed of, §72, p18.
  -current transmission, §63, p22.
  -current transmission and direct-current distribution, §63, p46.
  -current unit-switch control, Westinghouse, §72, p50.
  currents, Steel rails as conductors of, §72, p87.
Ambroin, §71, p65.
Anchor ear, §65, p17.
  Inverted-rail, §64, p11.
Anchors, Rail, §64, p11.
  Various types of rail, §64, p11.
Apparatus for lock-and-block systems, Auxiliary, §73, p13.
Armature and compensating coil, Voltage across, §72, p16.
  bearings, §70, p13.
  -coil connections, §68, pp28, 31.
  in Tyer one-wire block telegraph instrument, Arrangement of fields and, §73, p8.
  of alternating-current series motor, §72, p23.
  of British Thomson-Houston G.E. 52 motor, §68, p27.
  of gearless motor, Arrangement of, §70, p2.
  of repulsion motor, §72, p37.

Armature—(Continued)
of Westinghouse motor, §68, p18.
on shaft, Arrangement of, §68, p20.
Removal of, from British Thomson-Houston geared motor, §70, p10.
-winding connections, §68, p20.
windings, Method of securing, §68, p20.
windings of traction motors, §68, p3.
Armatures, Connections to, §68, p51.
Arm, Trolley, §66, p28.
Arrester, British Thomson-Houston car lightning, §66, p52.
Arresters, Lightning, §66, p[illegible].
Artificial respiration after electric shock, §65, p63.
Asphalt, Track paving with tar macadam and, §64, p41.
Asynchronous generator, Behaviour of three-phase induction motor as, §71, p5.
-generator characteristics, §71, p6.
motor, Behaviour of three-phase induction motor as, §71, p3.
Automatic block-signal systems, §73, p44.
circuit-breaker, §66, p41.
control, British Thomson-Houston, §70, p49.
-relay control, §70, p49.
signalling systems, §73, p44.
signals, Arrangement of blocks and, §73, p44.
train stop, §73, p47.
Auxiliary apparatus for lock-and-block systems, §73, p13.
circuits and apparatus, §71, pp53, 62.
Average value of current, §68, p4.
Axle-driven compressor system, §67, p26.
Limit of weight on, §69, p27.
-mounted motors, Early type of, §70, p3.
Pony, §66, p14.
Table of speeds of car, corresponding to various speeds of car, §68, p7.
torque, Relation between motor torque, gear ratio, and, §68, p11.
Axles, §70, p15.

B

Ball-and-mast signal, §73, p1.
Banner-type signal, §73, p4.
Barrel, Contractor, §70, p63.
Power, §68, p37.
Reversing, §68, p37 ; §70, p63.
Switching, §70, p63.
Bars, Fouling, §73, p16.
Splice, §64, p17.
Base, Wheel, §66, p4.
Batteries, Limitations of use of storage, §63, p20.
Storage, §63, p5.
Beams, Brake, §66, p10.
Bearing, Ring-oiling, §70, p13.
Bearings, Armature, §70, p13.
of Westinghouse motor, §68, p18.
Truck, §66, p17.
Bevelled heads, Tramway wheels and rails with, §64, p7.
Bipolar motors, Locomotive with, §70, p4.
Blacksmith shop, §66, p59.
Block carriers, §66, p10.
instrument, Operation of Tyer, §73, p9.
instruments, Sykes, §73, p24.
sections, Length of, §73, p45.
signal, §73, p1.
-signal systems, Automatic, §73, p44.
systems, Telegraphic, §73, p5.
telegraph instruments, Combined three-wire, §73, p7.
telegraph instruments, One-wire, §73, p7.
telegraph instruments, Three-wire, §73, p5.
telegraph instruments, Tyer one-wire, §73, p7.
Blocked, Line, §73, pp5, 12.
Blocks, §73, p1.
and automatic signals, Arrangement of, §73, p44.
Arrangement of, §73, p45.
Brake, §67, p4.
Track paving with wood, §64, p39.
Blow-out, Action of, §68, p67.
-out coil, §68, pp39, 58.
-out coils, §70, p56.
-out device, Magnetic, §68, p39.
-out magnet, §68, p37.
-out, Metallic-shield, §70, p62.
-out solenoid, §68, p66.
Board, Connection, §68, p49.
of Trade regulations governing construction and operation of motor-driven coaches and trains, §70, p28.
of Trade regulations governing track construction, §70, p81.
Bogie, Brake rigging for brush, §67, p24.
cars, §66, p2.
Motor, §71, p41.
-truck brake rigging, §67, p6.
trucks, §66, p11.
Bogies, §70, p13.
Bolster, §66, p14.
Bond, Double-loop protected rail, §64, p50.
Drop-of-potential test of rail, §64, p58.
1 foot long, Table of lengths of rail equal to resistance to, §64, p56.
for conductor rail, Protected, §70, p75.
tester, Everett-Edgecumbe, §64, p62.
tester, Siemens, §64, p58.
tester, Telephonic, §64, p60.
testing, Rail, §64, p57.
wires, Table of sizes of, §64, p55.
Bonding, Conductivity protection and, §70, p73.

Bonds, Classification of rail, §64, p48.
Construction and method of connecting rail, §64, p49.
Electrically welded rail, §64, p52.
for conductor rails, Unprotected, §70, p76.
Necessity for rail, §64, p47.
Plastic rail, §64, p53.
Protected rail, §64, p48.
Rail, §64, p47.
Resistance of rail, §64, p54.
Unprotected rail, §64, p49.
Boom, Trolley, §66, p28.
Booster connections, §65, p47.
Boosters, Alternating-current, §72, p88.
Methods of driving, §65, p46.
Negative, §64, p68.
Output of, §65, p47.
Positive, §65, p45.
Boss of wheel, §66, p23.
Bow collector, §70, p25 ; §71, p42.
collector for large currents, §79, p27.
collector, Reversible, §70, p23.
Boxes, Contact, §63, p10.
Bracket, Steady-strain, §72, p75.
Brake-beam castings, §67, p5.
beams, §66, p10.
blocks, §67, p4.
British Thomson-Houston magnetic track, §67, p18.
Compressors for pneumatic, §67, p13.
Connections for rheostatic, §67, p16.
leverage of double-truck rigging, §67, p8.
leverage of single-truck rigging, §67, p6.
Maley electro-mechanical track, §67, p21.
notches, Connections on, §68, pp61, 64.
on Midland Railway, Arrangement of vacuum, §67, p36.
Pneumatic track, §67, p11.
Rheostatic, §67, p16.
rigging, §66, p10 ; §67, pp4, 5.
rigging, Bogie-truck, §67, p6.
rigging, Double-truck, §67, p6.
rigging for brush bogie, §67, p24.
rigging, Maximum-traction, §67, p9.
rigging, Variations of, from tramway and steam practice, §67, p22.
rigging with one brake block per wheel, §67, p24.
Simple wheel, §67, p2.
Westinghouse electromagnetic track, §67, p19.
Brakes, Compressed-air, §67, p26.
Electric, §67, p16.
Hand-applied wheel, §67, p4.
Quick-release vacuum, §67, p37.
Track, §67, p10.
Use of, in stopping, §69, p25.
Vacuum, §67, pp26, 31.
Braking, §69, p5.
conditions, Adhesion under, §69, p14.
Connections for rheostatic, §68, p74.
General principles of, §67, p1.
Regenerative, §68, p71.
Regenerative or recuperative, §67, p18.
Rheostatic, §68, p71.
Branch, Left-hand, §64, p27.
Right-hand, §64, p27.
Breaker, Car, §66, p41.
Bridge system of series-parallel control, §70, p51.
Brill maximum-traction truck, §66, p15.
British standard rails, Table of width of wheel tread for, §64, p9.
standard tramway-rail sections, §64, p4.
Thomson-Houston automatic control, §70, p49.
Thomson-Houston B18 controller, §68, p58.
Thomson-Houston B18 controllers, Car-wiring diagram for, §68, p58.
Thomson-Houston car lightning arrester, §66, p52.
Thomson-Houston contactor, §70, p38.
Thomson-Houston geared motor, §70, p8.
Thomson-Houston G.E. 52 motor, §68, p24.
Thomson-Houston K2 controller, §68, p47.
Thomson-Houston K12 controller, §68, p55.
Thomson-Houston K2 controller, Simplified connection diagram of, §68, p50.
Thomson-Houston K2 controllers, Car-wiring diagram for, §68, p51.
Thomson-Houston K12 controllers, Car-wiring diagram for, §68, p57.
Thomson-Houston magnetic track brake, §67, p18.
Thomson-Houston master controller, §70, p39.
Thomson-Houston reverser, §70, p38.
Brooklyn insulators, §65, pp19, 22.
Brush bogie, Brake rigging for, §67, p24.
gear, §68, p20.
holders, §68, p27.
holders of British Thomson-Houston G.E. motor, §68, p27.
Sleet, §70, p23.
Brushes carrying exciting current, Commutation at, §72, p32.
carrying induced armature current, Commutation at, §72, p32.
Exciting, §72, p27.
Short-circuited, §72, p27.
Burgdorf-Thun three-phase railway, §71, p32.
Bus-lines, §70, p29.

C

Cab, Arrangement of driver's, §70, p18.
Cables, Arrangement of double-catenary, §72, p77.
Coupling, §70, p29.

Cables—(Continued)
in Siemens catenary suspension, Arrangement of, §72, p84.
Resistance of feeder, §65, p54.
Calculation of feeders for given section, §65, p59.
Calculations, Examples of feeder, §65, p51.
for overhead wires, §69, p28.
for third rail, §69, p30.
Simple voltage-drop, §65, p55.
Canopy switch, §66, p41.
switch, Westinghouse, §66, p41.
Car, Average current per, §63, p37.
axle, Table of speeds of, corresponding to various speeds of car, §68, p7.
breaker, §66, p41.
Change of speed of, due to change in gear ratio, §68, p13.
circuit-breaker, Westinghouse, §66, p42.
Determination of speed of, §68, p13.
Estimate of power required to work, §63, p25.
fuse, Westinghouse, §66, p47.
lamps, Arrangement of, §66, p56.
lamps, Diagram of connections for, §66, p57.
-lighting wiring, §66, pp54, 56.
lightning arrester, British Thomson-Houston, §66, p52.
meters, §66, p49.
meter, Siemens, §66, p50.
pits, §66, p58.
-power circuits, §66, p54.
Power required in speeding up, §63, p30.
-power wiring, §66, p54.
repairs, §66, p58.
resistances, §66, p37.
rheostat, §66, p37.
Semi-convertible, §66, p2.
Single-deck steel, §66, p2.
Starting, from rest, §63, p29.
Steepest incline on which, will start, §63, p35.
wheels, §66, p23.
wheels, Form and parts of, §66, p23.
wheels, Size and material of, §66, p24.
-wiring diagram for British Thomson-Houston B18 controllers, §68, p58.
-wiring diagram for British Thomson-Houston K2 controllers, §68, p51.
-wiring diagram for British Thomson-Houston K12 controllers, §68, p57.
-wiring diagram for multiple-unit control of compensated repulsion motors, §72, p64.
-wiring diagram for Raworth R6 controllers, §68, p72.
-wiring diagram for R11 controllers, §68, p44.
-wiring diagram for Sprague-General-Electric alternating-current multiple-unit control, §72, p61.
Car—(Continued)
-wiring diagram for Westinghouse controllers, §72, p49.
-wiring diagram for Westinghouse T1 controllers, §68, p63.
Carriers, Block, §66, p10.
Cars, Arrangement of single-deck, §66, p2.
Bogie, §66, p2.
Double-deck, §66, pp1, 4.
Double-truck, §66, p1.
Methods of handling, §66, p58.
Motor, §66, p1.
Open single-deck, §66, p2.
Single-deck, §66, p1.
Single-truck, §66, p2.
Speed of, §63, p36.
Trailer, §66, p1.
Types of, §66, p1.
Cascade arrangements for three speeds, §71, p15.
Characteristic curves of motors in, §71, p17.
-connected motors, Table of comparison of characteristics of single motor with characteristics of, §71, p19.
connections of motors, §71, pp12, 55.
synchronism, Speed of, §71, p13.
system of speed control, §71, p12.
Castings, Brake-beam, §67, p5.
Slide, §67, p5.
Cast-iron wheels, Chilled, §66, p25.
-welded joint, Falk, §64, p16.
-welded joints, Resistance of, §64, p45.
-welded rail joints, Table of resistance of, §64, p45.
Catenary, §72, p74.
insulator, §72, p81.
suspension, §72, p74.
suspension, Arrangement of cables in Siemens, §72, p84.
suspension, Construction of gantry for Siemens, §72, p86.
suspension, Insulator for Siemens, §72, p86.
suspension, Siemens, §72, p84.
systems, Fittings for, §72, p79.
Central-conduit system, §63, p7.
control, Necessity of, §69, p16.
London Railway, §69, p2.
London Railway coach, §70, p15.
Centre of load, Determination of, §63, p42.
-pole construction, §65, p5.
-running system, §65, p1.
-slot system, §63, p7.
Changing connections and poles, Method of, §71, p22.
Characteristic curves of alternating-current series motor, §72, p18.
curves of British Thomson-Houston G.E. 52 motor, §68, p29.

Characteristic—(Continued)
curves of Dick-Kerr 25 A motor, §68, p32.
curves of motors in cascade, §71, p17.
curves of repulsion motors, §72, p34.
curves of traction motor, §68, p9.
of traction motor, Speed, §68, p9.
Characteristics, Asynchronous-generator, §71, p6.
of single motor with characteristics of cascade-connected motors, Table of comparison of, §71, p19.
of traction motor, Heating, §68, p10.
Three-phase induction motor, §71, p6.
Check-lock, Use and construction of, §73, p38.
Choke coil, §68, p55.
Choking coil, §68, p55.
Circuit-breaker and reverser, Operation of main, §72, p65.
-breaker, Automatic, §66, p41.
-breaker, Loose-handle, §66, p45.
-breaker, Reliance, §66, p45.
-breaker, Westinghouse car, §66, p42.
-breakers, Fuses versus, §66, p47.
Compressor-motor, §71, p39.
Effect of resistance in rotor, §71, p10.
fifth notch, Motor, §72, p55.
first forward position, Control, §70, p58.
first notch, Motor, §72, p53.
first position, Control, §70, p44.
first position, Motor, §70, p45.
first reverse notch, Motor, §72, p55.
for high speed, Motor, §71, p59.
for low speed, Motor, §71, p58.
for steam railways, Arrangement of track, §73, p48.
fourth and fifth notches, Control §72, p59.
Head-light, §71, p39.
Lightning-arrester, §68, p55 ; §71, p47.
Main motor, §71, p51.
of main motors, Stator, §71, p37.
Resistance of return, §65, p54.
Rotor, §71, p37.
second, third, and fourth notches, Motor, §72, p54.
Transformer, §71, p47.
Circuits and apparatus, Auxiliary, §71, pp53, 62.
Car-power, §66, p54.
Controller, §68, p41.
Electrolysis due to tramway, §64, p66.
first notch, Control, §72, p52.
first position of controller, Operating, §72, p66.
first position, Power, §72, p67.
first, second, and third notches, Control, §72, p58.
Main motor, §71, p46.
Motor, §71, p61.
on full parallel position, Controller, §70, p60.
on full series position, Controller, §70, p59.
Circuits—(Continued)
on parallel positions, Controller, §70, pp47, 66, 72.
on series positions, Controller, §70, pp46, 64, 70.
Principle of operation of track, §73, p47.
Clamp, Come-along, §65, p36.
Soldering, §65, p38.
Clear, Line, §73, pp5 to 12, 33, 34.
Cleats, Porcelain, §70, p30.
Closed contactors, §70, p51.
Coach, Central London Railway, §70, p15.
Reversal of, §70, p33.
Coaches, Acceleration of steam locomotives and electric-motor, §69, p15.
and trains, Board of Trade regulations governing construction and operation of motor-driven, §70, p28.
for Valtellina Railway, Equipment of motor, §71, p39.
General arrangement of wiring of motor, §70, p29.
Motor, §70, p15.
of Burgdorf-Thun three-phase railway, Equipment of motor, §71, p34.
Coal and water, Supply of, to power house, §63, p41.
Comparison of water-power and, §69, p41.
Coasting period of running, §69, p5.
Coefficient of adhesion, §67, p2 ; §69, p14.
of sliding friction, §67, p2.
of static friction, §67, p2.
Coil, Blow-out, §68, pp39, 58.
Choke or choking, §68, p55.
Compensating, §66, p51.
Kicking, §68, p55.
Preventive reactance, §72, p40.
Voltage across armature and compensating, §72, p16.
Voltage in main field, §72, p14.
Coils, Blow-out, §70, p56.
Field, §68, p26.
for four-pole motor, Relative arrangement of, §72, p5.
of British Thomson-Houston G.E. motor, Field, §68, p26.
Voltages in short-circuited, §72, p10.
Collector, Air-operated, §70, p27.
Bow, §70, p25 ; §71, p42.
for large currents, Bow, §70, p27.
Link-suspended, §70, p21.
Method of lowering pantograph, §72, p59.
Oerlikon, §72, p72.
on Liverpool Overhead Railway, §70, p20.
Operation of current, §72, p51.
Pantograph type of current, §72, p51.
Reversible bow, §70, p26.
shoes, §70, p19.
Sliding, §70, p25.

Collectors, Current, §70, p19; §72, p69.
for conductor rails, §70, p19.
for overhead conductors, §70, p25.
for protected conductor rail, §70, p23.
Under-running, §70, p23.
Combined driver's valve and switch, §67, p36.
lighting and traction generating stations, §63, p41.
three-wire block telegraph instruments, §73, p7.
wheel and track-brake spindle, §67, p11.
Come-along clamp, §65, p36.
Commutating-pole motor, Siemens-Schukert, §70, p12.
-pole windings, Connections of, §72, p12.
poles, §72, p12.
Commutation at brushes carrying exciting current, §72, p32.
at brushes carrying induced armature current, §72, p32.
of repulsion motor, §72, p32.
Commutator in Tyer one-wire block telegraph instrument, Arrangement of, §73, p8.
Compensated repulsion motor, §72, pp1, 27.
repulsion motor and series motor, Points of difference between, §72, p27.
repulsion motors, Multiple-unit control of, §72, p64.
Compensating coil, §66, p51.
coil, Voltage across armature and, §72, p16.
single-truck, §66, p11.
winding, §72, pp2, 3.
winding, Action of, §72, p3.
Compound curves, §64, pp29, 30.
motor, Performance curves for, §71, p30.
motors of locomotive, §71, p50.
motors with provision for changing number of poles, §71, p27.
three-phase motors, §71, p13.
Compressed-air brakes, §67, p26.
Compressor-motor circuit, §71, p39.
system, Axle-driven, §67, p26.
system, Motor-driven, §67, p27.
Compressors for pneumatic brake, §67, p13.
Concatenation, §71, p12.
Conductivity of steel rails, §70, p73.
protection and bonding, §70, p73.
Conductor rail, Collectors for protected, §70, p23.
rail, Ice on, §70, p22.
rail, Protected bond for, §70, p75.
rails, §69, p28; §70, p73.
rails at cross-over, Arrangement of, §70, p78.
rails, Collectors for, §70, p19.
rails, Insulation of, §70, p79.
rails, insulators, and motors, Table of particulars of, §70, p74.
rails, Protection of, §70, p75.
rails, Steel for, §64, p42.
Conductor—(Continued)
rails, Unprotected bonds for, §70, p76.
Suspension of overhead, §72, p74.
Conductors and track sections in Westinghouse signalling system, §73, p49.
Collectors for overhead, §70, p25.
of alternating currents, Steel rails as, §72, p87.
Overhead, §69, p28.
Supply, §70, p73.
Usual arrangement of, §71, p64.
Conduits, §70, p29.
Conduit system, §63, pp2, 4, 6.
system, Disadvantages of, §63, p10.
Connecting curve and crossing, §64, p27.
four motors, Method of, §68, p55.
rail bonds, Construction and method of, §64, p49.
Connection board, §68, p49.
diagram of British Thomson-Houston K2 controller, Simplified, §68, p50.
in compensated repulsion motor, Method of, §72, p27.
of eight-pole motor, §71, p56.
of twelve-pole motor, §71, p56.
Connections and poles, Method of changing, §71, p22.
Armature-coil, §68, pp28, 31.
Armature-winding, §68, p20.
Booster, §65, p47.
Feeder, §70, p77.
for car lamps, Diagram of, §66, p57.
for rheostatic brake, §67, p16.
for rheostatic braking, §68, p74.
for speed control, Arrangement of, §72, p34.
for two C6 master controllers, §70, p43.
Interlock, §70, p57.
of commutating-pole windings, §72, p12.
of motors, Cascade, §71, pp12, 55.
of Westinghouse alternating-current unit-switch control, Diagram of, §72, p50.
on brake notches, §68, pp61, 64.
on first series notch, §68, p73.
on parallel notches, §68, pp60, 63.
on series notches, §68, pp57, 59, 63, 71.
Reversibility of, §70, p32.
Rotor, §71, p26.
to armatures, §68, p51.
to motors, §70, p31.
with motors in parallel, §68, p53.
with motors in series, §68, p52.
Constant-potential supply, §63, p6.
Consumption and costs of electric tramways for 1 year, Table of power, §63, p40.
Energy, §69, p19.
Power, §63, p36.
Contact boxes, §63, p10.
rail, §63, p20.
segments, Special arrangement of, §68, p73.

Contact—(Continued)
shoe, §63, p20.
Siemens rail, §73, p14.
skate, §63, p5.
sleeve, Sliding, §66, p30.
studs, §63, p5.
Sykes rail, §73, p13.
Contactor barrel, §70, p63.
British Thomson-Houston, §70, p38.
Dick-Kerr, §70, p61.
groups, §70, p36.
system of control, §70, p36.
Westinghouse electro-pneumatic, §70, p55.
wires, §70, p32.
wires, Crossing of, §70, p32.
Contactors, Closed, §70, p51.
close, Table of order in which, §70, p48.
Line, §70, p46.
Necessity for, §70, p36.
Open, §70, p51.
Contacts, Reverser, §70, p44.
Use of rail, §73, p13.
Continuous joint, §64, p14.
Control, Arrangement of connections for speed, §72, p34.
Automatic-relay, §70, p49.
Bridge system of series-parallel, §70, p51.
British Thomson-Houston automatic, §70, p49.
by variation of voltage, Motor, §72, p30.
Cascade system of speed, §71, p12.
circuit, first forward position, §70, p58.
circuit, first position, §70, p44.
circuit, first, second, and third notches, §72, p58.
circuit, fourth and fifth notches, §72, p59.
circuits, first notch, §72, p52.
couplers, §70, p30.
Dick-Kerr direct multiple, §70, p67.
for series motors, Direct, §72, p44.
from sub-stations, §69, p32.
General requirements of signal, §73, p45.
Multiple-unit, §69, p16.
Necessity for multiple, §70, p31.
Necessity of central, §69, p16.
of compensated repulsion motors, Multiple-unit, §72, p64.
of induction motors, Speed, §71, p10.
of motor with squirrel-cage rotor, §71, p29.
of shunt motors, Series-parallel, §68, p69.
Pole-changing system of speed, §71, p22.
Regenerative, §68, p68.
Requirements of train, §70, p30.
Rheostatic, §68, p35.
Series-parallel, §68, p46.
Siemens mechanical, §70, p34.
Sprague-General-Electric alternating-current multiple-unit, §72, p59.
Sprague-General-Electric type M, §70, p36.
Control—(Continued)
Sprague multiple-unit, §70, p34.
systems, Dick-Kerr, §70, p61.
systems, Early multiple-unit §70, p34.
Unit switch or contactor system of, §70, p36.
valve, Positions of, §67, p36.
valves, §67, p28.
Westinghouse alternating-current and direct-current unit-switch, §72, p56.
Westinghouse alternating-current unit-switch, §72, p50.
Westinghouse electro-pneumatic, §70, p54.
Westinghouse unit-switch, §70, p54.
wiring, Type M, §70, p43.
wiring, Unit-switch, §70, p57.
Controller, §71, p44.
British Thomson-Houston B18, §68, p58.
British Thomson-Houston K2, §68, pp47, 55.
British Thomson-Houston master, §70, p39.
circuits, §68, p41.
circuits on full parallel position, §70, p60.
circuits on full series position, §70, p59.
circuits on parallel positions, §70, pp47, 66, 72.
circuits on series positions, §70, pp46, 64, 70.
diagram, §68, p40.
Dick-Kerr, §68, p65.
Dick-Kerr DM4, §70, p67.
Dick-Kerr master, §70, p62.
for series motors, §72, p44.
Master, §70, p56; §72, p50.
notches, §68, p52.
on fifth notch, §72, p49.
on first notch, §72, p46.
on second, third, and fourth notches, §72, p47.
Operating circuits, first position of, §72, p66.
Operation of master, §70, p35.
positions, §68, pp52, 58.
Raworth R6, §68, p70.
Rheostatic, §68, p36.
Second, third, fourth, and fifth positions of, §72, p68.
Simplified connection diagram of British Thomson-Houston K2, §68, p50.
Turret, §70, p56.
Westinghouse T1, §68, p61.
-wiring diagram, §72, p45.
Controllers, Car-wiring diagram for British Thomson-Houston B18, §68, p58.
Car-wiring diagram for British Thomson-Houston K2, §68, p51.
Car-wiring diagram for British Thomson-Houston K12, §68, p57.
Car-wiring diagram for R11, §68, p44.
Car-wiring diagram for Raworth R6, §68, p72.
Car-wiring diagram for Westinghouse T1, §68, p63.
Connections for two C6 master, §70, p43.

Controllers—(Continued)
Power-wiring diagram for Raworth R6, §68, p72.
Tramway, §68, p35.
Use of two, §68, p44.
Controlling switches, Operation of, §73, p37.
Copper trolley wire, §65, p14.
trolley wire, Table of resistance of hard-drawn, §65, p52.
Corrugated rail, Grinding, §64, p25.
Corrugation, Rail, §64, p24.
Corrugations, Formation of rail, §64, p24.
Removal of rail, §64, p25.
Cost of electric energy, §69, p40.
of energy for given train service, §69, p22.
of fuel with steam locomotive, §69, p40.
of steam and electric traction, Comparative, §69, p38.
Costs of electric tramways for 1 year, Table of power consumption and, §63, p40.
of tramways, §63, p39.
County Council maximum-traction truck, London, §66, p16.
Couplers, Control, §70, p30.
Coupling between rotor and wheels, Flexible, §71, p41.
cables, §70, p29.
rods, Locomotives fitted with, §70, p7.
Screw, §65, p36.
Cradle of suspension, §66, pp19, 23 ; §70, p14.
Cross-bonding, §64, p57.
-over, §65, p32.
-over, Arrangement of conductor rails at, §70, p78.
-over, Layout of, §69, p37.
-over, Left-hand, §64, p27.
-over, Right-hand, §64, p27.
-overs, §69, p37.
-section and weight of tramway rails, §64, p7.
Crossing, Connecting curve and, §64, p27.
of contactor wires, §70, p32.
Crossings, §65, p32.
Insulated, §65, p33.
on Simplon Tunnel Railway, Overhead, §71, p71.
Uninsulated, §65, p33.
Current, Apparatus for direct and alternating, §72, p56.
Arrangement for alternating, §72, p57.
Arrangement for direct, §72, p56.
Average and effective valves of, §68, p4.
Collection of, §63, p9.
collector, Operation of, §72, p51.
collector, Pantograph type of, §72, p51.
collectors, §70, p19 ; §72, p69.
during acceleration, Variation of, §69, p20.
Methods of collecting, §69, p28.
Current—(Continued)
Operation of alternating-current series motor on direct, §72, p20.
Operation on direct, §72, pp44, 57.
per car, Average, §63, p37.
relations at starting in compensated repulsion motor, §72, p30.
Square-root-of-mean-square value of, §68, p5.
supply, Continuity of, §70, p77.
Table of electrolytic effect of, on various metals, §64, p64.
Currents, Bow collector for large, §70, p27.
in Westinghouse track-circuit signalling system, Effects of leakage, §73, p51.
Steel rails as conductors of alternating, §72, p87.
Curve and crossing, Connecting, §64, p27.
Plain, §64, p27.
Reverse, §64, p27.
S, §64, p27.
Tractive effort, §68, p10.
Curves, Compound, §64, pp29, 30.
Considerations for laying out, §64, p29.
for compound motor, Performance, §71, p30.
for 200-horsepower repulsion motor, §72, p36.
Influence of track, §69, p10.
Kinds of, §64, p29.
of alternating-current series motor, Characteristic, §72, p18.
of British Thomson-Houston G.E. 52 motor, Characteristic, §68, p29.
of Dick-Kerr 25A motor, Characteristic, §68, p32.
of motors in cascade, Characteristic, §71, p17.
of repulsion motors, Characteristic, §72, p34.
of repulsion motors, Tractive-effort, speed, efficiency, and power-factor, §72, p34.
of traction motor, Characteristic or performance, §68, p9.
Performance, §69, p19.
Securing trolley wires at, §65, p39.
Simple, §64, p29.
Speed and power, §63, p30.
Speed-time, §69, p6.
Time-distance, §69, p6.
Transition, §64, pp29, 30.
Cut-outs, §68, p63.
-out switches, §68, pp49, 59.
-out switches, Motor, §68, p54.
Cycle, Averaging, §69, p6.
Determination of average, §69, p17.
Cylinder, Operation of reverse, §72, p63.
Pneumatic-brake, §67, p12.
Power, §68, p37.
Reversing, §68, p37 ; §70, p69.

D

Daily-log sheet, Tramway-station, §63, p50.
results, Summary of tramway-station, §63, p54.

Dead man's handle or knob, §70, p41.
mileage, §66, p57.
Deflector wires, §72, p83.
Depots, Location of, §66, p57.
Diagram, Controller, §68, p40.
Controller-wiring, §72, p45.
Dick-Kerr direct multiple-control wiring, §70, p70.
Dick-Kerr multiple-unit controller wiring, §70, p64.
for British Thomson-Houston B18 controllers, Car-winding, §68, p58.
for British Thomson-Houston K2 controllers, Car-wiring, §68, p51.
for British Thomson-Houston K12 controllers, Car-wiring, §68, p57.
for four-speed locomotive for Simplon Tunnel Railway, Wiring, §71, p61.
for locomotive on Burgdorf-Thun three-phase railway, Wiring, §71, p37.
for motor coach on Valtellina Railway, Wiring, §71, p46.
for multiple-unit control of compensated repulsion motors, Car-wiring, §72, p64.
for Raworth R6 controllers, Car-wiring, §68, p72.
for Raworth R6 controllers, Power-wiring, §68, p72.
for R11 controllers, Car-wiring, §68, p44.
for Sprague-General Electric alternating-current multiple-unit control, Car-wiring, §72, p61.
for three-speed locomotive on Valtellina Railway, Wiring, §71, p55.
for two-speed locomotive for Simplon Tunnel Railway, Wiring, §71, p58.
for two-speed locomotive on Valtellina Railway, Wiring, §71, p51.
for Westinghouse controllers, Car-wiring, §72, p49.
for Westinghouse T1 controllers, Car-wiring, §68, p63.
of British Thomson-Houston K2 controller, Simplified connection, §68, p50.
of connections for car lamps, §66, p57.
of connections of Westinghouse alternating-current unit-switch control, §72, p50.
of stator of three-phase induction motor, Winding, §71, p24.
Unit-switch control wiring, §70, p57.
Vector, §72, pp15, 29.
Diamond turnout, §64, p27.
Dick-Kerr 25A motor, §68, p30.
-Kerr contactor, §70, p61.
-Kerr controller, §68, p65.
-Kerr control systems, §70, p61.
-Kerr direct multiple control, §70, p67.
-Kerr DM4 controller, §70, p67.
-Kerr interpole motor, §68, p33.
Dick—(Continued)
-Kerr master controller, §70, p62.
Dimensions in track construction, Standard, §70, p83.
Direct and alternating current, Apparatus for, §72, p56.
control for series motors, §72, p44.
current, Arrangement for, §72, p56.
-current distribution, Alternating-current transmission and, §63, p46.
-current electric railways in Great Britain, Table of, §69, p3.
current, Operation of alternating-current series motor on, §72, p20.
current, Operation on, §72, pp44, 57.
-current railways, Character of service of, §69, p5.
-current system for tramways, §63, p3.
-current transmission, Simple, §63, p22.
-current unit-switch control, Westinghouse alternating-current and, §72, p56.
multiple control, Dick-Kerr, §70, p67.
Dished wheel, §66, p26.
Distant signals, §73, p3.
signals, Arrangement of home and, §73, p3.
Distributed load, Effect of, §65, p58.
Distribution, Alternating-current transmission and direct-current, §63, p46.
of power for tramways, §63, p3.
Diverter, §65, p47 ; §68, p42.
for maximum speed, Use of, §68, p42.
Dolter surface-contact system, §63, p15.
surface-contact system, Working of, §63, p16.
Double-catenary cables, Arrangement of, §72, p77.
-catenary construction, §72, p77.
-deck cars, §66, pp1, 4.
-deck trolley standard, §66, p34.
-geared drive, §66, p22.
-loop protected rail bond, §64, p50.
pull-offs, §65, pp19, 21.
-truck brake rigging, §67, p6.
-truck cars, §66, p1.
-truck rigging, Brake leverage of, §67, p8.
trucks, §66, pp8, 11.
Drain rails, §64, p12.
Drive, Double-geared, §66, p22.
Driver's cab, Arrangement of, §70, p18.
valve and switch, Combined, §67, p36.
Driving arrangements of single-phase motors, §72, p25.
boosters, Methods of, §65, p46.
force during acceleration, Total, §63, p33.
Drop in feeders, §65, p51.
in wires and rails, Voltage, §69, p29.
-of-potential test of rail bond, §64, p58.
Droppers, §72, p74.
Drum, Operation of reversing, §68, p42.
Power, §68, p37.

Drum—(Continued)
Reversing, §68, p37.
winding, E.M.F.'s in, §72, p9.
Dwarf trolley standards, §66, p36.

E

Ear, Feeder, §65, p18.
Half-anchor, §65, p17.
Splicing, §65, p18.
Strain or anchor, §65, p17.
Ears, §65, p15.
Mechanical, §65, p16.
Soldered, §65, p15.
Earthing device, §71, p68.
Earth wire, §66, p55.
Effective value of current, §68, p4.
Efficiency curves of repulsion motors, §72, p34.
of three-phase induction motor, §71, p4.
of Westinghouse motor, §68, p23.
Effort, Change of tractive, due to change in gear ratio, §68, p14.
curve, Tractive-, §68, p10.
of Westinghouse motor, Tractive, §68, p23.
on incline, Tractive, §63, p28.
Total tractive, §68, p12.
Tractive, §63, p25.
Eight-pole motor, Connection of, §71, p56.
Ejectors, §67, p31.
Electrically operated point movement, §73, p39.
operated signals, §73, p42.
welded joint, §64, p17.
welded joints, Resistance of, §64, p46.
welded rail bonds, §64, p52.
welded rail joints, Table of resistance of, §64, p46.
Electrical records, §63, p52.
Electric alternating-current multiple-unit control, §72, p61.
brakes, §67, p16.
energy, Cost of, §69, p40.
locomotive, Equipment of, §67, p32.
locomotives, §69, p2.
-motor coaches, Acceleration of steam locomotives and, §69, p15.
operation, Comparative working expenses for steam and, §69, p39.
railways, Development of, §69, p2.
railways in Great Britain, Table of direct-current, §69, p3.
shock, Artificial respiration after, §65, p63.
system of operation of points and signals, §73, p37.
traction, Comparative cost of steam and, §69, p38.
traction, Comparison of steam and, §69, p10.
tramway equipments, Table of particulars of, §63, p38.
Electric—(Continued)
tramways, §63, p1.
tramways, Table of power consumption and costs of, for 1 year, §63, p40.
type M control, Sprague-General-, §70, p36.
welding, Equipment for, §64, p17.
Electrification of railways, Reasons for, §69, p38.
of railways, Results of, §69, p39.
of railways, Summary of advantages of, §69, p42.
Electrolysis, §64, p63.
due to tramway circuits, §64, p66.
Elementary principles of, §64, p64.
General effects of, §64, p63.
Prevention of, §64, p67.
Electrolytic effect of current on various metals, Table of, §64, p64.
Electromagnetic track brake, Westinghouse, §67, p19.
Electro-mechanical track brake, Maley, §67, p21.
-pneumatic contactor, Westinghouse, §70, p55.
-pneumatic control, Westinghouse, §70, p54.
-pneumatic point movement, §73, p41.
-pneumatic signal movement, §73, p43.
-pneumatic system of operation of points and signals, §73, p37.
E.M.F., Direction of speed, §72, p7.
Direction of transformer, §72, p7.
E.M.F.'s, Directions of transformer, §72, p28.
in drum winding, §72, p9.
Speed and transformer, §72, p7.
when running, Effect of speed, §72, p31.
Employees, Protection of, §69, p33.
Enclosed fuses, §66, p48.
End sills, §66, p14.
Energy, Absorption and regeneration of, §71, p21.
consumed in accelerating, §71, p8.
consumption, §69, p19.
consumption, Examples of, §69, p25.
Cost of electric, §69, p40.
Factors varying amount of, §69, p23.
for given train service, Cost of, §69, p22.
Relation of acceleration and kinetic, §69, p23.
Equal-wheel truck, §66, p14.
-wheel truck, M.G., §66, p14.
Equipment for electric welding, §64, p17.
for thermit welding, §64, p21.
of typical tramways, §63, p39.
Equipments, Table of particulars of electric-tramway, §63, p38.
Equivalent resistance of rail, Determination of §72, p88.
Everett-Edgecumbe bond tester, §64, p62.
Excavation for paving, Size of, §64, p38.
Exciting brushes, §72, p27.
Exhausters, Arrangement of, §67, p31.
Expansion, Rail, §64, p14.

Expenses for steam and electric operation, Comparative working, §69, p39.
in railway working, §69, p41.
Extensions of power house, Influence of future, §63, p44.
Extra-high-tension transmission system, Diagram of, §63, p24.

F

Factor of series motor, Power, §72, p18.
of three-phase induction motor, Power, §71, p4.
Falk cast-welded joint, §64, p16.
Fallen wires, Methods of dealing with, §65, p62.
Fan, Lines forming, §66, p58.
Feed-cables, Side, §65, p42.
Feeder cables, Resistance of, §65, p54.
calculations, Examples of, §65, p51.
connections, §70, p77.
ear, §65, p18.
pillars, §65, p41.
systems, §69, p32.
systems on alternating-current railways, §72, p87.
systems, Sectionalizing, §69, p33.
Feeders, §63, p6; §65, p41.
Drop in, §65, p51.
for given section, Calculation of, §65, p59.
Installation of, §65, p50.
Negative, §64, p68.
Return, §64, p68.
Feeding, Methods of, §65, p43.
Field coils, §68, p26.
coils of British Thomson-Houston G.E. motor, §68, p26.
coil, Voltage in main, §72, p14.
frame, §68, pp17, 24.
of alternating-current series motor, §72, p23.
Fields and armature in Tyer one-wire block telegraph instrument, Arrangement of, §73, p8.
Finial, §65, p7.
Fire on tube railways, Risk of, §70, p18.
Fish-plate joint, §64, p13.
-plates, §64, p13.
-plates for standard rails, Table of weights of, §64, p14.
Fittings for catenary systems, §72, p79.
Insulating, §65, p19.
Testing insulating, §65, p26.
Fixed point of tramway track, §64, p32.
trolley head, §65, p29.
trolley head, Construction of, §66, p28.
trolley heads, Frogs for, §65, p29.
Flange of wheel, §66, p23.
Flanges, Tramway-rail grooves and wheel, §64, p8.
Flats, §66, p25.
Flexible coupling between rotor and wheels, §71, p41.
Flipper, §65, p27.
Force during acceleration, Total driving, §63, p33.
Finding acceleration from total, §69, p13.
required on rising gradients, Propelling, §63, p28.
required to accelerate, §69, p11.
required to produce acceleration, §63, p32.
to overcome gravity, §69, p12.
Fouling bars, §73, p16.
Four-motor equipment, §72, p40.
-speed locomotive for Simplon Tunnel Railway, §71, p60.
-speed motor equipment, §71, p60.
Fourth rail, §69, p28.
rail, Need of, §69, p31.
Four-wheeled single truck, Standard, §66, p8.
Frame, Field, §68, pp17, 24.
Free-running, §69, p5.
Frequency, Choice of, §71, p3.
Friction, Coefficient of sliding, §67, p2.
Coefficient of static, §67, p2.
Journal, track, and air, §69, p7.
of surfaces, §67, p1.
Train, §69, p8.
Frogs, §65, p29.
for fixed trolley heads, §65, p29.
for swivelling trolley heads, §65, p31.
Mechanical, §65, p31.
Movable, §65, p31.
Trailing, §65, p31.
Fuel, Cost of, with steam locomotive, §69, p40.
Fuses, §66, p47.
Enclosed, §66, p48.
versus circuit-breakers, §66, p47.
Fuse, Westinghouse car, §66, p47.

G

Galvanized-steel wires, Table of stranded, §65, p11.
Gantries, §72, p77.
Gantry for Siemens catenary suspension, Construction of, §72, p86.
Gauge measurements, §64, p9.
of tramway track, §64, p1.
Track, §64, p9.
Wheel, §64, p9.
G.B. surface-contact system, §63, pp11, 17.
surface-contact system, Stud of, §63, p17.
surface-contact system, Working of, §63, p18.
Gear, Brush, §68, p20.
ratio, and axle torque, Relation between motor torque, §68, p11.
ratio, Change of speed of car due to change in, §68, p13.
ratio, Change of tractive effort due to change in, §68, p14.
ratio, Effect of changing, on given equipment, §68, p15.

Drum—(Continued)
Reversing, §68, p37.
winding, E.M.F.'s in, §72, p9.
Dwarf trolley standards, §66, p36.

E

Ear, Feeder, §65, p18.
Half-anchor, §65, p17.
Splicing, §65, p18.
Strain or anchor, §65, p17.
Ears, §65, p15.
Mechanical, §65, p16.
Soldered, §65, p15.
Earthing device, §71, p68.
Earth wire, §66, p55.
Effective value of current, §68, p4.
Efficiency curves of repulsion motors, §72, p34.
of three-phase induction motor, §71, p4.
of Westinghouse motor, §68, p23.
Effort, Change of tractive, due to change in gear ratio, §68, p14.
curve, Tractive-, §68, p10.
of Westinghouse motor, Tractive, §68, p23.
on incline, Tractive, §63, p28.
Total tractive, §68, p12.
Tractive, §63, p25.
Eight-pole motor, Connection of, §71, p56.
Ejectors, §67, p31.
Electrically operated point movement, §73, p39.
operated signals, §73, p42.
welded joint, §64, p17.
welded joints, Resistance of, §64, p46.
welded rail bonds, §64, p52.
welded rail joints, Table of resistance of, §64, p46.
Electrical records, §63, p52.
Electric alternating-current multiple-unit control, §72, p61.
brakes, §67, p16.
energy, Cost of, §69, p40.
locomotive, Equipment of, §67, p32.
locomotives, §69, p2.
-motor coaches, Acceleration of steam locomotives and, §69, p15.
operation, Comparative working expenses for steam and, §69, p39.
railways, Development of, §69, p2.
railways in Great Britain, Table of direct-current, §69, p3.
shock, Artificial respiration after, §65, p63.
system of operation of points and signals, §73, p37.
traction, Comparative cost of steam and, §69, p38.
traction, Comparison of steam and, §69, p10.
tramway equipments, Table of particulars of, §63, p38.
Electric—(Continued)
tramways, §63, p1.
tramways, Table of power consumption and costs of, for 1 year, §63, p40.
type M control, Sprague-General-, §70, p36.
welding, Equipment for, §64, p17.
Electrification of railways, Reasons for, §69, p38.
of railways, Results of, §69, p39.
of railways, Summary of advantages of, §69, p42.
Electrolysis, §64, p63.
due to tramway circuits, §64, p66.
Elementary principles of, §64, p64.
General effects of, §64, p63.
Prevention of, §64, p67.
Electrolytic effect of current on various metals, Table of, §64, p64.
Electromagnetic track brake, Westinghouse, §67, p19.
Electro-mechanical track brake, Maley, §67, p21.
-pneumatic contactor, Westinghouse, §70, p55.
-pneumatic control, Westinghouse, §70, p54.
-pneumatic point movement, §73, p41.
-pneumatic signal movement, §73, p43.
-pneumatic system of operation of points and signals, §73, p37.
E.M.F., Direction of speed, §72, p7.
Direction of transformer, §72, p7.
E.M.F.'s, Directions of transformer, §72, p28.
in drum winding, §72, p9.
Speed and transformer, §72, p7.
when running, Effect of speed, §72, p31.
Employees, Protection of, §69, p33.
Enclosed fuses, §66, p48.
End sills, §66, p14.
Energy, Absorption and regeneration of, §71, p21.
consumed in accelerating, §71, p8.
consumption, §69, p19.
consumption, Examples of, §69, p25.
Cost of electric, §69, p40.
Factors varying amount of, §69, p23.
for given train service, Cost of, §69, p22.
Relation of acceleration and kinetic, §69, p23.
Equal-wheel truck, §66, p14.
-wheel truck, M.G., §66, p14.
Equipment for electric welding, §64, p17.
for thermit welding, §64, p21.
of typical tramways, §63, p39.
Equipments, Table of particulars of electric-tramway, §63, p38.
Equivalent resistance of rail, Determination of §72, p88.
Everett-Edgecumbe bond tester, §64, p62.
Excavation for paving, Size of, §64, p38.
Exciting brushes, §72, p27.
Exhausters, Arrangement of, §67, p31.
Expansion, Rail, §64, p14.

Expenses for steam and electric operation, Comparative working, §69, p39.
in railway working, §69, p41.
Extensions of power house, Influence of future, §63, p44.
Extra-high-tension transmission system, Diagram of, §63, p24.

F

Factor of series motor, Power, §72, p18.
of three-phase induction motor, Power, §71, p4.
Falk cast-welded joint, §64, p16.
Fallen wires, Methods of dealing with, §65, p62.
Fan, Lines forming, §66, p58.
Feed-cables, Side, §65, p42.
Feeder cables, Resistance of, §65, p54.
calculations, Examples of, §65, p51.
connections, §70, p77.
ear, §65, p18.
pillars, §65, p41.
systems, §69, p32.
systems on alternating-current railways, §72, p87.
systems, Sectionalizing, §69, p33.
Feeders, §63, p6 ; §65, p41.
Drop in, §65, p51.
for given section, Calculation of, §65, p59.
Installation of, §65, p50.
Negative, §64, p68.
Return, §64, p68.
Feeding, Methods of, §65, p43.
Field coils, §68, p26.
coils of British Thomson-Houston G.E. motor, §68, p26.
coil, Voltage in main, §72, p14.
frame, §68, pp17, 24.
of alternating-current series motor, §72, p23.
Fields and armature in Tyer one-wire block telegraph instrument, Arrangement of, §73, p8.
Finial, §65, p7.
Fire on tube railways, Risk of, §70, p18.
Fish-plate joint, §64, p13.
-plates, §64, p13.
-plates for standard rails, Table of weights of, §64, p14.
Fittings for catenary systems, §72, p79.
Insulating, §65, p19.
Testing insulating, §65, p26.
Fixed point of tramway track, §64, p32.
trolley head, §65, p29.
trolley head, Construction of, §66, p28.
trolley heads, Frogs for, §65, p29.
Flange of wheel, §66, p23.
Flanges, Tramway-rail grooves and wheel, §64, p8.
Flats, §66, p25.
Flexible coupling between rotor and wheels, §71, p41.
Flipper, §65, p27.
Force during acceleration, Total driving, §63, p33.
Finding acceleration from total, §69, p13.
required on rising gradients, Propelling, §63, p28.
required to accelerate, §69, p11.
required to produce acceleration, §63, p32.
to overcome gravity, §69, p12.
Fouling bars, §73, p16.
Four-motor equipment, §72, p40.
-speed locomotive for Simplon Tunnel Railway, §71, p60.
-speed motor equipment, §71, p60.
Fourth rail, §69, p28.
rail, Need of, §69, p31.
Four-wheeled single truck, Standard, §66, p8.
Frame, Field, §68, pp17, 24.
Free-running, §69, p5.
Frequency, Choice of, §71, p3.
Friction, Coefficient of sliding, §67, p2.
Coefficient of static, §67, p2.
Journal, track, and air, §69, p7.
of surfaces, §67, p1.
Train, §69, p8.
Frogs, §65, p29.
for fixed trolley heads, §65, p29.
for swivelling trolley heads, §65, p31.
Mechanical, §65, p31.
Movable, §65, p31.
Trailing, §65, p31.
Fuel, Cost of, with steam locomotive, §69, p40.
Fuses, §66, p47.
Enclosed, §66, p48.
versus circuit-breakers, §66, p47.
Fuse, Westinghouse car, §66, p47.

G

Galvanized-steel wires, Table of stranded, §65, p11.
Gantries, §72, p77.
Gantry for Siemens catenary suspension, Construction of, §72, p86.
Gauge measurements, §64, p9.
of tramway track, §64, p1.
Track, §64, p9.
Wheel, §64, p9.
G.B. surface-contact system, §63, pp11, 17.
surface-contact system, Stud of, §63, p17.
surface-contact system, Working of, §63, p18.
Gear, Brush, §68, p20.
ratio, and axle torque, Relation between motor torque, §68, p11.
ratio, Change of speed of car due to change in, §68, p13.
ratio, Change of tractive effort due to change in, §68, p14.
ratio, Effect of changing, on given equipment, §68, p15.

Gear—(Continued)
ratios, §68, p6.
Speed-reducing, §68, p6.
Geared motor, British Thomson-Houston, §70, p8.
motor, Westinghouse, §70, p12.
motors, §70, p8.
Gearing, §70, p8.
Gearless motor, Arrangement of armature of, §70, p2.
motors, §70, p2.
Gears used in practice, Traction-motor, §68, p8.
General-overhaul shop, §66, p59.
Generating machinery, §63, p52.
stations, Combined lighting and traction, §63, p41.
Generator, Behaviour of three-phase induction motor as asynchronous, §71, p5.
characteristics, Asynchronous, §71, p6.
Globe, §66, p29.
insulators, §65, pp19, 23.
Gradient, Propelling force required on rising, §63, p28.
Granite, Reconstructed, §63, p13.
setts, Track paving with, §64, p38.
Gravity, Force to overcome, §69, p12.
Grid resistances, §66, p37.
Grinding corrugated rail, §64, p25.
Grooves and wheel flanges, Tramway-rail, §64, p8.
Ground wire, §66, p55.
Guard, Hudson and Bowring life, §66, p27.
Trigger type of life, §66, p27.
wires, §65, p11.
Guards, Life, §66, p27.

H

Half-anchor ear, §65, p17
Hand-applied wheel brakes, §67, p4.
-brake rigging, Single-truck, §67, p5.
-brake spindle, §67, p9.
Handle, Dead man's, §70, p41.
Hangers, §72, pp74, 77.
Straight-line, §65, p19.
Hard-drawn copper trolley wire, Table of, §65, p14.
-drawn copper trolley wire, Table of resistance of, §65, p52.
Head, Construction of fixed trolley, §66, p28.
Fixed trolley, §65, p29.
-light circuit, §71, p39.
Self-righting trolley, §66, p31.
Swivelling trolley, §65, p29; §66, p29.
Trolley, §66, p28.
Heads, Frogs for fixed trolley, §65, p29.
Frogs for swivelling trolley, §65, p31.
Tramway wheels and rails with bevelled, §64, p7.
Heat, Action of thermit in producing, §64, p20.
Heating characteristics of traction motor, §68, p10.
High speed, Motor circuit for, §71, p59.
voltage, Use of, §71, p2.
Holders, Brush, §68, p27.
of British Thomson-Houston G.E. motor, Brush, §68, p27.
Shoe, §66, p10.
Hollins treadle, §73, p15.
Home and distant signals, Arrangement of, §73, p3.
signals, §73, p2.
Horsepower of locomotive, To find, §69, p26.
of motors, Maximum, §69, p18.
House, Conditions affecting choice of site of power, §63, p46.
Influence of future extensions of power, §63, p44.
Situation of power, §63, p41.
Supply of coal and water to power, §63, p41.
Hudson and Bowring life guard, §66, p27.

I

Ice on conductor rail, §70, p22.
Ignition powder, §64, p20.
Incline, Effect of, §63, p27.
on which car will start, Steepest, §63, p35.
Tractive effort on, §63, p28.
Index wheel, §68, p37.
Indicator, Light, §73, p20.
Pringle trolley-standard leakage, §66, p52.
Inductance, Effects of, §72, p3.
Induction motor as asynchronous generator, Behaviour of three-phase, §71, p5.
motor as asynchronous motor, Behaviour of three-phase, §71, p3.
motor characteristics, Three-phase, §71, p6.
motors, Speed control of, §71, p10.
Industrial railways, §69, p5.
Instrument, Operation of Tyer block, §73, p9.
Sykes block, §73, p24.
Tyer one-wire block telegraph, §73, p7.
Instruments, Combined three-wire block telegraph, §73, p7.
One-wire block telegraph, §73, p7.
Three-wire block telegraph, §73, p5.
Use of staff and tablet, §73, p36.
Insulated crossings, §65, p33.
rail joints, §73, p48.
turnbuckles, §65, pp19, 24.
Insulating fittings, §65, p19.
fittings, Testing, §65, p26.
Insulation of conductor rails, §70, p79.
Insulator, Catenary, §72, p81.
for Siemens catenary suspension, §72, p86.
Insulators, and motors, Table of particulars of conductor rails, §70, p74.
Brooklyn, §65, pp19, 22.

Insulators—(Continued)
Forms of, §70, p79.
Globe or strain, §65, pp19, 23.
Reel, §65, pp19, 24.
Section, §65, pp19, 25; §72, p82.
Span-wire, §71, p68.
Stoneware, §70, p80.
Strain, §65, p5.
Table of breaking load and breakdown voltage of strain, §65, p24.
Transmission, §71, p68.
Trolley, §71, p67.
Interlock connections, §70, p57.
in switch-closed position, §72, p52.
Interlocking devices, §70, p43; §68, pp38, 62.
Necessity for, §73, p13.
Interlocks, §70, p56.
Interpole motor, Dick-Kerr, §63, p33.
Interpoles, Use of, §68, p33.
Inverted-rail anchor, §64, p11.

J

Jack, Pulling, §65, p36.
Jarrah, §64, p39.
Joint, Continuous, §64, p14.
Electrically welded, §64, p17.
Falk cast-welded, §64, p16.
Fish-plate, §64, p13.
Method of making thermit-welded, §64, p22.
Method of making welded, §64, p19.
Sole-plate, §64, p14.
Thermit-welded, §64, p20.
Joints, Insulated rail, §73, p48.
Overhead, on Simplon Tunnel Railway, §71, p71.
Rail, §64, p13.
Resistance of cast-welded, §64, p45.
Resistance of electrically welded, §64, p46.
Resistance of thermit-welded, §64, p46.
Resistance of welded, §64, p45.
Table of resistance of cast-welded rail, §64, p45.
Table of resistance of electrically welded rail, §64, p46.
Table of resistance of thermit-welded rail, §64, p47.
Journal friction, §69, p7.
Jumper, Reversal of, §70, p33.
Jumpers, §70, pp29, 30.
Junctions, §69, p37; §70, p77.

K

Kicking coil, §68, p55.
Kinetic energy, Relation of acceleration and, §69, p23.
King pin, §66, p14.
Knob, Dead man's, §70, p41.

L

Lamps, Arrangement of car, §66, p56.
Diagram of connections for car, §66, p57.
Lap position of valve, §67, p30.
Lattice poles, §65, pp6, 8.
Laying out curves, Considerations for, §64, p29.
Layout of cross-over, §69, p37.
Leads, Resistance, §72, p11.
Leakage currents in Westinghouse track-circuit signalling system, Effects of, §73, p51.
indicator, Pringle trolley-standard, §66, p52.
Left-hand branch, §64, p27.
-hand cross-over, §64, p27.
Leverage of double-truck rigging, Brake, §67, p8.
of single-truck rigging, Brake, §67, p6.
Life guard, Hudson and Bowring, §66, p27.
guard, Trigger type of, §66, p27.
guards, §66, p27.
Light indicator, §73, p20.
Railways Act, §63, p3.
Lighting and traction generating stations, Combined, §63, p41.
Lightning arrester, British Thomson-Houston car, §66, p52.
-arrester circuit, §68, p55; §71, p47.
arresters, §66, p51.
Limit switches, §70, p49.
Line blocked, §73, pp5 to 12.
clear, §73, pp5 to 12, 33, 34.
contactors, §70, p46.
taps, §65, p42.
Train on, §73, pp5 to 12, 33, 35.
Lines, Operation of single, §73, p36.
Original method of operating single, §73, p36.
Link-suspended collector, §70, p21.
Liquid rheostat, §71, p45.
Liverpool Overhead Railway, Collector on, §70, p20.
Load, Determination of centre of, §63, p42.
Distribution of, §65, p49.
Effect of distributed, §65, p58.
Table of breaking, and breakdown voltage of strain insulators, §65, p24.
Lock-and-block signalling system, Operation of Sykes, §73, p30.
-and-block signalling system, Operation of Tyer, §73, p34.
-and-block signalling system, Permissive working of Sykes, §73, p32.
-and-block signalling system, Sykes, §73, p24.
-and-block signalling system, Tyer, §73, p33.
-and-block systems, §73, p13.
-and-block systems, Auxiliary apparatus for, §73, p13.
Locomotive, Compound motors of, §71, p50.
Cost of fuel with steam, §69, p40.
Equipment of electric, §67, p32.

Locomotive—(Continued)
for Simplon Tunnel Railway, Four-speed, §71, p60.
for Valtellina Railway, Three-speed, §71, p53.
for Valtellina Railway, Two-speed, §71, p48.
To find horsepower of, §69, p26.
with bipolar motors, §70, p4.
Locomotives and electric-motor coaches, Acceleration of steam, §69, p15.
Electric, §69, p2.
fitted with coupling rods, §70, p7.
for Simplon Tunnel Railway, Two-speed, §71, p57.
of Burgdorf-Thun three-phase railway, Equipment of, §71, p36.
London County Council maximum-traction truck, §66, p16.
Loose-handle circuit-breaker, §66, p45.
Lorain stud switches, §63, p13.
surface-contact system, §63, p11.
surface-contact system, Working of, §63, p14.
Low-pressure switch, Action of, §71, p52.
speed, Motor circuit for, §71, p58.
Lubricants, §68, p5.
Lubrication of traction motors, §68, p5.
of trolley wheels, §66, p33.

M

Macadam and asphalt, Track paving with tar, §64, p41.
roads, Track paving on, §64, p40.
Machinery, Generating, §63, p52.
Machine shop, §66, p60.
Magnet, Blow-out, §68, p37.
Unlocking, §73, p25.
Magnetic blow-out device, §68, p39.
track brake, British Thomson-Houston, §67, p18.
Main and reversing switch, §71, p44.
field coil, Voltage in, §72, p14.
motor circuit, §71, pp46, 51.
motors, Stator circuit of, §71, p37.
Maley electro-mechanical track brake, §67, p21.
Master controller, §70, p56 ; §72, p50.
controller, British Thomson-Houston, §70, p39.
controller, Dick-Kerr, §70, p62.
controller, Operation of, §70, p35.
controllers, Connections for two C6, §70, p43.
Mate of tongue switch, §64, p36.
Material of car wheels, §66, p24.
Maximum horsepower of motors, §69, p18.
-traction brake rigging, §67, p9.
-traction truck, §66, p15.
-traction truck, Brill, §66, p15.
-traction truck, London County Council, §66, p16.
-traction trucks, §67, p9.
values of retardation, §69, p15.
Measurements, Gauge, §64, p9.
Mechanical control, Siemens, §70, p34.
ears, §65, p16.
frogs, §65, p31.
Metallic-shield blow-out, §70, p62.
Meters, Car, §66, p49.
Meter, Siemens car, §66, p50.
M.G. equal-wheel truck, §66, p14.
Midland Railway, Arrangement of vacuum brake on, §67, p36.
Mileage, Dead, §66, p57.
Motion, Power required to maintain, §63, p26.
Motive power for tramways, Choice of, §63, p3.
Motor, Alternating-current series, §72, pp1, 2.
Arrangement of armature of gearless, §70, p2.
Behaviour of three-phase induction, as asynchronous generator, §71, p5.
Behaviour of three-phase induction, as asynchronous motor, §71, p3.
bogie, §71, p41.
British Thomson-Houston G.E. 52, §68, p24.
British Thomson-Houston geared, §70, p8.
Brush holders of British Thomson-Houston G.E., §68, p27.
cars, §66, p1.
Characteristic curves of alternating - current series, §72, p18.
Characteristic or performance curves of traction, §68, p9.
characteristics, Three-phase induction, §71, p6.
Choice of size of traction, §68, p3.
circuit, fifth notch, §72, p55.
circuit, first notch, §72, p53.
circuit, first position, §70, p45.
circuit, first reverse notch, §72, p55.
circuit for high speed, §71, p59.
circuit for low speed, §71, p58.
circuit, Main, §71, p51.
circuit, second, third, and fourth notches, §72, p54.
circuits, §71, p61.
circuits, Main, §71, p46.
coaches, §70, p15.
coaches for Valtellina Railway, Equipment of, §71, p39.
coaches, General arrangement of wiring of, §70, p29.
coaches of Burgdorf-Thun three-phase railway, Equipment of, §71, p34.
Commutation of repulsion, §72, p32.
Compensated repulsion, §72, pp1, 27.
Connection of eight-pole, §71, p56.
Connection of twelve-pole, §71, p56.
Construction of repulsion, §72, p37.
control by variation of voltage, §72, p39.
Curves for 200-horsepower repulsion, §72, p36.
cut-out switches, §68, p54.
Dick-Kerr 25A, §68, p30.

V. 22—416—49

Motor—(Continued)
Dick-Kerr interpole, §68, p33.
-driven coaches and trains, Board of Trade regulations governing construction and operation of, §70, p28.
-driven compressor system, §67, p27.
Efficiency and output of Westinghouse, §68, p23.
equipment, Four-speed, §71, p60.
Example of sleeve-mounted, §70, p6.
Field coils of British Thomson-Houston G.E., §68, p26.
Heating characteristics of traction, §68, p10.
on direct current, Operation of alternating-current series, §72, p20.
Performance curves for compound, §71, p30.
Performance of Westinghouse, §68, p22.
Pilot, §70, p35.
Points of difference between compensated repulsion motor and series, §72, p27.
Poles of Westinghouse, §68, p20.
Siemens-Schukert commutating-pole, §70, p12.
Speed characteristic of traction, §68, p9.
Speed of alternating-current series, §72, p18.
Speed regulation of repulsion, §72, p33.
suspensions, §70, p13.
torque, gear ratio, and axle torque, Relation between, §68, p11.
Tractive effort of Westinghouse, §68, p23.
Typical short-run with simple three-phase, §71, p8.
Westinghouse geared, §70, p12.
Westinghouse No. 200, §68, p17.
windings, Arrangement of, §71, p54.
Winter-Eichberg, §72, p1.
with squirrel-cage rotor, Control of, §71, p29.
Motors and equipment for three-speed locomotive of Valtellina Railway, §71, p53.
and plant, Effect of high acceleration on, §69, p25.
Armature windings of traction, §68, p3.
Cascade connections of, §71, pp12, 55.
Characteristic curves of repulsion, §72, p34.
Choice of, §69, p17.
Comparison of railway and tramway, §70, p1.
Comparison of types of traction, §68, p2.
Compound three-phase, §71, p13.
Connections to, §70, p31.
Direct control for series, §72, p44.
Early type of axle-mounted, §70, p3.
for regenerative working, Shunt, §68, p3.
Geared, §70, p8.
Gearless, §70, p2.
General features of traction, §68, p1.
in cascade, Characteristic curves of, §71, p17
in parallel, Connections with, §68, p53.
in series, Connections with, §68, p52.
Locomotive with bipolar, §70, p4.
Motors—(Continued)
Lubrication of traction, §68, p5.
Maximum horsepower of, §69, p18.
Method of connecting four, §68, p55.
Method of operating, §71, p57.
Multiple-unit control of compensated repulsion, §72, p64.
of locomotive, Compound, §71, p50.
on trucks, Methods of suspending, §66, p18.
Rating of, §71, p57.
Rating of railway, §70, p1.
Rating of traction, §68, p4.
Series-parallel control of shunt, §68, p69.
Speed control of induction, §71, p10.
Stator circuit of main, §71, p37.
Table of comparison of characteristics of single motor with characteristics of cascade-connected, §71, p19.
Table of particulars of conductor rails, insulators, and, §70, p74.
Tractive-effort, speed, efficiency, and power-factor curves of repulsion, §72, p34.
Use of shunt-wound traction, §68, p68.
with provision for changing number of poles, Compound, §71, p27.
Movable frogs, §65, p31.
point of tramway track, §64, p32.
Multiple control, Dick-Kerr direct, §70, p67.
control, Necessity for, §70, p31.
-unit control, §69, p16.
-unit control of compensated repulsion motors, §72, p64.
-unit control, Sprague, §70, p34.
-unit control, Sprague-General-Electric alternating-current, §72, p59.
-unit control systems, Early, §70, p34.

N

Negative acceleration or retardation, §67, p3.
boosters, §64, p68.
feeders, §64, p68.
Neutralizing winding, §72, p2.
Nose suspension, §66, p19 ; §70, p14.
suspension, Westinghouse, §66, p21.
Notch, Connections on first series, §68, p73.
Notches, §68, p63.
Connections on brake, §68, pp61, 64.
Connections on parallel, §68, pp60, 63.
Connections on series, §68, pp57, 59, 63, 71.
Controller, §68, p52.
Parallel, §68, pp47, 71.

O

Oerlikon collector, §72, p72.
Off-position of valve, §67, p37.
Offset in trolley wire, §65, p40.

Oil-driven power station, §63, p48.
One-wire block telegraph instruments, §73, p7.
-wire block telegraph instrument, Tyer, §73, p7.
On-position of valve, §67, p37.
Open contactors, §70, p51.
single-deck cars, §66, p2.
Operating circuits, first position of controller, §72, p66.
Operation of points and signals, Power, §73, p37.
Output of boosters, §65, p47.
of Westinghouse motor, §68, p23.
Overhead conductors, §69, p28.
conductors, Collectors for, §70, p25.
conductor, Suspension of, §72, p74.
construction for three-phase railways, §71, p64.
construction of Simplon Tunnel Railway, §71, p69.
system, §63, pp2, 4 ; §65, p1.
system, Advantages of, §63, p5.
system, Diagram of, §63, p5.
wires, Calculations for, §69, p28.
-wire system, §69, p28.
Overlap in Westinghouse track-circuit signalling system, Length of, §73, p51.
of section beyond signal, §73, p46.

P

Paint shop, §66, p59.
Pantograph collector, Method of lowering, §72, p59.
trolley, §72, p69.
type of current collector, §72, p51.
Parallel, Connections with motors in, §68, p53.
notches, §68, pp47, 71.
notches, Connections on, §68, pp60, 63.
position, Controller circuits on full, §70, p60.
positions, Controller circuits on, §70, pp47, 66, 72.
Transition from series to, §70, p51.
Parging, §64, p39.
Paving on macadam roads, Track, §64, p40.
Size of excavation for, §64, p38.
Types of, §64, p37.
with granite setts, Track, §64, p38.
with tar macadam and asphalt, Track, §64, p41.
with wood blocks, Track, §64, p39.
Pedestal trolley standard, §66, p34.
Performance curves, §69, p19.
curves for compound motor, §71, p30.
curves of traction motor, §68, p9.
of Westinghouse motor, §68, p22
Pillars, Feeder, §65, p41.
Switch, §65, p41.
Pilot motor, §70, p35.
Pin, King, §66, p14.
Pipe, Reservoir, §67, p27.
Train, §67, p27.
Pits, Car, §66, p58.
Pivotal point, §66, p11.
Plain curve, §64, p27.
Plant, Effect of high acceleration on motors and, §69, p25.
Plastic rail bonds, §64, p53.
Plough, §63, p9.
Pneumatic brake, Compressors for, §67, p13.
-brake cylinder, §67, p12.
-brake equipment, Arrangement of, §67, p15.
track brake, §67, p11.
Point movement, Electrically operated, §73, p39.
movement, Electro-pneumatic, §73, p41.
Points and signals, Electric and electro-pneumatic systems of operation of, §73, p37.
and signals, Power operation of, §73, p37.
of tramway track, Fixed, movable, and spring, §64, p32.
Pole-changing system of speed control, §71, p22.
Poles, §68, p20.
Commutating, §72, p12.
Compound motors with provision for changing number of, §71, p27.
Erection of, §65, p9.
Lattice, §65, pp6, 8.
Method of changing connections and, §71, p22.
Sectional, §65, p7.
Table of standard tests for steel tramway, §65, p8.
Tests for standard, §65, p8.
Tubular, §65, p6.
Types of tramway, §65, p6.
Pony wheels and axle, §66, p14.
Porcelain cleats, §70, p30.
Positive boosters, §65, p45.
Powder, Ignition, §64, p20.
Power barrel, §68, p37.
circuits, first position, §72, p67.
consumption, §63, p36.
consumption and costs of electric tramways for 1 year, Table of, §63, p40.
curves, Speed and, §63, p30.
cylinder, §68, p37.
drum, §68, p37.
-factor curves of repulsion motors, §72, p34.
factor of series motor, §72, p18.
factor of three-phase induction motor, §71, p4.
for tramways, Choice of motive, §63, p3.
for tramways, Distribution of, §63, p3.
for tramways, Transmission of, §63, p3.
house, Conditions affecting choice of site of, §63, p46.
house, Influence of future extensions of, §63, p44.
house, Situation of, §63, p41.
house, Supply of coal and water to, §63, p41.
operation of points and signals, §73, p37.
required in speeding up tramcar, §63, p30.
required to maintain motion, §63, p26.
required to work car, Estimate of, §63, p25.

Power—(Continued)
station, Oil-driven, §63, p48.
station or substation, Size of units in, §63, p36.
station, Steam-driven, §63, p47.
supply for tramways, Voltage of, §63, p4.
-wiring diagram for Raworth R6 controllers, §68, p72.
Pressure of wheel on trolley wire, §66, p34.
Preventive reactance coil, §72, p40.
resistance, §72, p42.
Pringle trolley-standard leakage indicator, §66, p52.
Propelling force required on rising gradient, §63, p28.
Proportional-traction truck, §66, p15.
Protected bond for conductor rail, §70, p75.
rail bond, Double-loop, §64, p50.
rail bonds, §64, p48.
Protection and bonding, Conductivity, §70, p73.
of conductor rails, §70, p75.
of employees, §69, p33.
Pulling jack, §65, p36.
Pull-offs, §72, p80.
-offs, Double, §65, pp19, 21.
-offs, Method of using, §65, p22.
-offs, Single, §65, pp19, 21.
Push-offs, §72, p79.

Q

Quick-release vacuum brakes, §67, p37.

R

Rail anchors, §64, p11.
anchors, Various types of, §64, p11.
bond, Double-loop protected, §64, p50.
bond, Drop-of-potential test of, §64, p58.
-bond testing, §64, p57.
bonds, §64, p47.
bonds, Classification of, §64, p48.
bonds, Construction and method of connecting, §64, p49.
bonds, Electrically welded, §64, p52.
bonds, Necessity for, §64, p47.
bonds, Plastic, §64, p53.
bonds, Protected, §64, p48.
bonds, Resistance of, §64, p54.
bonds, Unprotected, §64, p49.
Calculations for third, §69, p30.
Collectors for protected conductor, §70, p23.
Contact, §63, p20.
contact, Siemens, §73, p14.
contact, Sykes, §73, p13.
contacts, Use of, §73, p13.
corrugation, §64, p24.
corrugations, Formation of, §64, p24.
corrugations, Removal of, §64, p25.
Determination of equivalent resistance of, §72, p88.
expansion, §64, p14.
Fourth, §69, p28.
Grinding corrugated, §64, p25
Ice on conductor, §70, p22.
joints, §64, p13.
joints, Insulated, §73, p48.
joints, Table of resistance of cast-welded, §64, p45.
joints, Table of resistance of electrically welded, §64, p46.
joints, Table of resistance of thermit-welded, §64, p47.
Need of fourth, §69, p31.
Protected bond for conductor, §70, p75.
Sectionalization of third, §69, p35.
sections, Tramway, §64, p4.
Table of lengths of, equal to resistance to bond 1 foot long, §64, p56.
Third, §63, p1 ; §69, p28.
Rails as conductors of alternating currents, Steel, §72, p87.
at cross-over, Arrangement of conductor, §70, p78.
Collectors for conductor, §70, p19.
Composition of tramway, §64, p3.
Conductivity of steel, §70, p73.
Conductor, §69, p28 ; §70, p73.
Cross-section and weight of tramway, §64, p7.
Drain, §64, p12.
Insulation of conductor, §70, p79.
insulators, and motors, Table of particulars of conductor, §70, p74.
Necessity for adequate sanding of, §69, p27.
Protection of conductor, §70, p75.
Resistance of tramway-track, §64, p42.
Sandberg, §64, p3.
Specification of steel for tramway, §64, p3.
Steel for conductor, §64, p42.
Table of resistance of standard tramway, §65, p54.
Table of width of wheel tread for British standard, §64, p9.
Track, §70, p81.
Unprotected bonds for conductor, §70, p76.
Voltage drop in wires and, §69, p20.
with bevelled heads, Tramway wheels and, §64, p7.
Railway and tramway motors, Comparison of, §70, p1.
Arrangement of vacuum brake on Midland, §67, p36.
Burgdorf-Thun three-phase, §71, p32.
Central London, §69, p2.
coach, Central London, §70, p15.
Collector on Liverpool Overhead, §70, p20.
Equipment of motor coaches for Valtellina, §71, p39.

Railway—(Continued)
Four-speed locomotive for Simplon Tunnel, §71, p60.
motors, Rating of, §70, p1.
Overhead construction of Simplon Tunnel, §71, p69.
signals, Early types of, §73, p1.
signals, Forms of, §73, p1.
Three-speed locomotive for Valtellina, §71, p53.
Two-speed locomotive for Valtellina, §71, p48.
Two-speed locomotives for Simplon Tunnel, §71, p57.
Valtellina, §71, pp39, 64.
working, Expenses in, §69, p41.
Railways, Arrangement of track circuit for steam, §73, p48.
Character of service of direct-current, §69, p5.
Development of alternating-current, §71, p1.
Development of electric, §69, p2.
Differences between tramways and, §69, p1.
Feeder systems on alternating-current, §72, p87.
Industrial, §69, p5.
in Great Britain, Table of direct-current electric, §69, p3.
Operations of urban and suburban, §69, p5.
Overhead construction for three-phase, §71, p64.
Reasons for electrification of, §69, p38.
Results of electrification of, §69, p39.
Summary of advantages of electrification of, §69, p42.
Track construction for tube, §70, p82.
Rating of motors, §71, p57.
of railway motors, §70, p1.
of traction motors, §68, p4.
Ratio and axle torque, Relation between motor torque, gear, §68, p11.
Change of speed of car due to change in gear, §68, p13.
Change of tractive effort due to change in gear, §68, p14.
Effect of changing gear, on given equipment, §68, p15.
Voltage, §71, p55.
Ratios, Gear, §68, p6.
Raworth R6 controller, §68, p70.
R6 controllers, Car-wiring diagram for, §68, p72.
R6 controllers, Power-wiring diagram for, §68, p72.
Reactance coil, Preventive, §72, p40.
voltage, §72, p10.
Reconstructed granite, §63, p13.
Records, Electrical, §63, p52.
Tramway-station, §63, p50.
Recuperation, §69, p4.
Recuperative braking, §67, p18.
system, §71, p5.
Reel insulators, §65, pp19, 24.
Regeneration, §69, p4.
Advantage of, §71, p5.
of energy, §71, p21.
Principle of, §68, p68.
with two-speed equipment, §71, p15.
Regenerative braking, §67, p18 ; §68, p71.
control, §68, p68.
system, §71, p5.
working, Practical results of, §68, p69.
working, Shunt motors for, §68, p3.
Regulations governing construction and operation of motor-driven coaches and trains, Board of Trade, §70, p28.
governing track construction, Board of Trade, §70, p81.
Relay, Action of, §70, p50.
Relays, Construction of, §70, p50.
in Westinghouse track-circuit signalling system, Action of, §73, p50.
Throttle, §70, p49.
Release position of valve, §67, pp31, 37.
Reliance circuit-breaker, §66, p45.
Repeater, Signal, §73, p21.
Replacer, Sykes signal reverser or, §73, p18.
Tyer signal, §73, p20.
Report, Shift, §63, p54.
Steam plant, §63, p54.
Repulsion motor and series motor, Points of difference between compensated, §72, p27.
motor, Commutation of, §72, p32.
motor, Compensated, §72, pp1, 27.
motor, Construction of, §72, p37.
motor, Curves for 200-horsepower, §72, p36.
motor, Speed regulation of, §72, p33.
motors, Characteristic curves of, §72, p34.
motors, Multiple-unit control of compensated, §72, p64.
motors, Tractive-effort, speed, efficiency, and power-factor curves of, §72, p34.
Reservoir pipe, §67, p27.
Resistance, Arrangement of, §68, p44.
Formulæ for tramway-rail, §64, p43.
for squirrel-cage rotor, Determination of, §71, p27.
Grid, §66, p37.
in rotor circuit, Effect of, §71, p10.
leads, §72, p11.
of cast-welded joints, §64, p45.
of cast-welded rail joints, Table of, §64, p45.
of electrically welded joints, §64, p46.
of electrically welded rail joints, Table of, §64, p46.
of feeder cables, §65, p54.
of hard-drawn copper trolley wire, Table of, §65, p52.
of rail bonds, §64, p54.

Resistance—(Continued)
of rail, Determination of equivalent, §72, p88.
of return circuit, §65, p54.
of silicium-bronze trolley wire, Table of, §65, p53.
of standard tramway rails, Table of, §65, p54.
of thermit-welded joints, §64, p46.
of thermit-welded rail joints, Table of, §64, p47.
of tramway-track rails, §64, p42.
of trolley wire, §65, p53.
of wagons, Tractive, §69, p8.
of welded joints, §64, p45.
Preventive, §72, p42.
Ribbon, §66, p40.
to bond 1 foot long, Table of lengths of rail equal to, §64, p56.
Tractive, §63, p25 ; §69, p7.
Resistances, Car, §66, p37.
Respiration after electric shock, Artificial, §65, p63.
Rest, Starting car from, §63, p29.
Results, Summary of tramway-station daily, §63, p54.
Retardation, §63, p30.
Maximum values of, §69, p15.
Negative, §67, p3.
with three-speed equipment, §71, p17.
with two-speed equipment, §71, p16.
Return circuit, Resistance of, §65, p54.
feeders, §64, p68.
Reversal of coach, §70, p33.
of jumper, §70, p33.
Reverse curve, §64, p27.
cylinder, Operation of, §72, p63
Reversed-dish wheel, §66, p26.
Reverser, §70, pp39, 44, 69.
British Thomson-Houston, §70, p38.
contacts, §70, p44.
Operation of, §70, p46.
Operation of main circuit-breaker and, §72, p65.
or replacer, Sykes signal, §73, p18.
Trolley-arm, §65, p34.
wires, §70, p32.
Reversible bow collector, §70, p26.
Reversing barrel, §68, p37 ; §70, p63.
cylinder, §68, p37 ; §70, p69.
device, §71, p52.
drum, §68, p37.
drum, Operation of, §68, p42.
switch, Main and, §71, p44.
Rheostat, Car, §66, p37.
Liquid, §71, p45.
Rheostatic brake, §67, p16.
brake, Connections for, §67, p16.
braking, §68, p71.
braking, Connections for, §68, p74.
control, §63, p35.
controller, §68, p36.
system of speed control, §71, p10.
Ribbon resistance, §66, p40.
Ribs of wheel, §66, p23.
Rigging, Arrangement of, §67, p22.
Arrangement of truck, §67, p8.
Bogie-truck brake, §67, p6.
Brake, §66, p10 ; §67, pp4, 5.
Brake leverage of double-truck, §67, p8.
Brake leverage of single-truck, §67, p6.
Double-truck brake, §67, p6.
for brush bogie, Brake, §67, p24.
Maximum-traction brake, §67, p9.
Single-truck hand-brake, §67, p5.
Variations of brake, from tramway and steam practice, §67, p22.
with one brake block per wheel, Brake, §67, p24.
Right-hand branch, §64, p27.
-hand cross-over, §64, p27.
-hand thrown-over turnout, §64, p27.
Rim of wheel, §66, p23.
Ring-oiling bearing, §70, p13.
Rolling, §67, p34.
Rising gradient, Propelling force required on, §63, p28.
Roads, Track paving on macadam, §64, p40.
Robrow surface-contact system, §63, p19.
Rods, Locomotives fitted with coupling, §70, p7.
Rolling ring, §67, p34.
Rosettes, §65, p10.
Rotational acceleration, §69, p12.
Rotation, Direction of, §72, p2.
Rotor and wheels, Flexible coupling between, §71, p41.
circuit, §71, p37.
circuit, Effect of resistance in, §71, p10.
connections, §71, p26.
Control of motor with squirrel-cage, §71, p29.
Determination of resistance for squirrel-cage, §71, p27.
Running, Effect of speed E.M.F.'s when, §72, p31.
position of valve, §67, pp31, 37.
voltage, §72, p17.
Run with simple three-phase motor, Typical short, §71, p8.

S

Safety device, §71, p52.
in working, §69, p32.
switch, Operation of, §70, p42.
Sandberg rails, §64, p3.
Sanding of rails, Necessity for adequate, §69, p27.
Screw coupling, §65, p36.
S curve, §64, p27.
Sectionalization of third rail, §69, p35.
Sectionalizing, §69, p32.
feeder systems, §69, p33.
Sectional poles, §65, p7.

Section insulators, §65, pp19, 25 ; §72, p82.
Train, §69, pp33, 34.
Train out of, §73, pp33, 35.
Sections and weights, Table of standard tramway-rail, §64, p5.
British standard tramway-rail, §64, p4.
in Westinghouse signalling system, Conductors and track, §73, p49.
Length of block, §73, p45.
Tramway rail, §64, p4.
Segments, Special arrangement of contact, §68, p73.
Selector, Operation of signal, §73, p24.
Selectors, Signal, §73, p23.
Self-lubricating spindles, §66, p33.
-righting trolley head, §66, p31.
Semaphore signals, §73, p2.
Semi-convertible car, §66, p2.
Series, Connections with motors in, §68, p52.
motor, Alternating-current, §72, pp1, 2.
motor, Characteristic curves of alternating-current, §72, p18.
motor on direct current, Operation of alternating-current, §72, p20.
motor, Points of difference between compensated repulsion motor and, §72, p27.
motor, Speed of alternating-current, §72, p18.
motors, Direct control for, §72, p44.
notch, Connections on first, §68, p73.
notches, Connections on, §68, pp57, 59, 63, 71.
-parallel control, §68, p46.
-parallel control, Bridge system of, §70, p51.
-parallel control of shunt motors, §68, p69.
position, Controller circuits on full, §70, p59.
positions, Controller circuits on, §70, pp46, 64, 70.
to parallel, Transition from, §70, p51.
Service, Cost of energy for given train, §69, p22.
of direct-current railways, Character of, §69, p4.
position of valve, §67, p30.
Setts, Track paving with granite, §64, p38.
Shaft, Arrangement of armature on, §68, p20.
Sheet, Tramway-station daily-log, §63, p50.
Shift report, §63, p54.
Shock, Artificial respiration after electric, §65, p63.
Shoe, Contact, §63, p20.
holders, §66, p10.
Shoes, Collector, §70, p19.
Shop, Blacksmith, §66, p59.
General-overhaul, §66, p59.
Machine, §66, p60.
Paint, §66, p59.
Winding, §66, p60.
Woodworking, §66, p59.
Short-circuited brushes, §72, p27.
-circuited coils, Voltages in, §72, p10.
Shunt, §63, p42.
motors for regenerative working, §68, p3.
motors, Series-parallel control of, §68, p69.
-wound traction motors, Use of, §68, p68.
Side-bar suspension, §66, p23.
-bracket construction, §65, p6.
feed-cables, §65, p42.
-running system, §65, p1.
-slot system, §63, p7.
turnout, §64, p27.
Siemens bond-tester, §64, p58.
car meter, §66, p50.
catenary suspension, §72, p84.
catenary suspension, Arrangement of cables in, §72, p84.
catenary suspension, Construction of gantry for, §72, p86.
catenary suspension, Insulator for, §72, p86.
mechanical control, §70, p34.
rail contact, §73, p14.
-Schukert commutating-pole motor, §70, p12.
Signal, Advance starting, §73, p32.
Ball-and-mast, §73, p1.
Banner-type, §73, p4.
Block, §73, p1.
control, General requirements of, §73, p45.
movement, Electro-pneumatic, §73, p43.
repeater, §73, p21.
replacer, Tyer, §73, p20.
reverser or replacer, Sykes, §73, p18.
selector, Operation of, §73, p24.
selectors, §73, p23.
Signalling system, Operation of Sykes lock-and-block, §73, p30.
system, Operation of Tyer lock-and-block, §73, p34.
system, Permissive working of Sykes lock-and-block, §73, p32.
system, Sykes lock-and-block, §73, p24.
system, Tyer lock-and-block, §73, p33.
system, Westinghouse track-circuit, §73, p49.
systems, Automatic, §73, p44.
Systems of, §73, p1.
Signals, Arrangement of blocks and automatic, §73, p44.
Arrangement of home and distant, §73, p3.
Distant, §73, p3.
Early types of railway, §73, p1.
Electrically operated, §73, p42.
Electric and electro-pneumatic systems of operation of points and, §73, p37.
Forms of railway, §73, p1.
Home, §73, p2.
Necessity for, §73, p1.
Power operation of points and, §73, p37.
Semaphore, §73, p2.

Silicium-bronze trolley wire, Table of, §65, p15.
-bronze trolley wire, Table of resistance of, §65, p53.
Sills, End, §66, p14.
Simplon Tunnel Railway, Four-speed locomotive for, §71, p60.
Tunnel Railway, Overhead construction of, §71, p69.
Tunnel Railway, Two-speed locomotives for, §71, p57.
Single-catenary construction, §72, p74.
-deck cars, §66, p1.
-deck cars, Arrangement of, §66, p2.
-deck cars, Open, §66, p2.
-deck steel car, §66, p2.
lines, Operation of, §73, p36.
lines, Original method of operating, §73, p36.
pull-offs, §65, pp19, 21.
truck, §66, p8.
-truck cars, §66, p2.
truck, Compensating, §66, p11.
-truck hand-brake rigging, §67, p5.
-truck rigging, Brake leverage of, §67, p6.
truck, Standard four-wheeled, §66, p8.
Site of power house, Conditions affecting choice of, §63, p46.
Skate, Contact, §63, p5.
Skin effect, §72, p87.
Sleet brush, §70, p23.
-cutting wheel, §66, p33.
Sleeve-mounted motor, Example of, §70, p6.
Sliding contact, §66, p30.
Splicing, §65, p18.
Slide castings, §67, p5.
Sliding collector, §70, p25.
contact sleeve, §66, p30.
friction, Coefficient of, §67, p2.
strips, §70, p25.
Slippers, §67, p10.
Soldered ears, §65, p15.
Soldering clamp, §65, p38.
Solenoid, Blow-out, §68, p66.
Sole-plate joint, §64, p14.
Solid wheel, §66, p33.
Span-wire construction, §65, p2.
-wire insulators, §71, p68.
wire, Suspension of, §65, p36.
wires, §65, p10.
Specification of steel for tramway rails, §64, p3.
Speed and power curves, §63, p30.
characteristic of traction motor, §68, p9.
control, Arrangement of connections for, §72, p34.
control, Cascade system of, §71, p12.
control of induction motors, §71, p10.
control, Pole-changing system of, §71, p22.
curves of repulsion motors, §72, p34.
Speed—(Continued)
E.M.F., §72, p7.
E.M.F., Direction of, §72, p7.
E.M.F.'s when running, Effect of, §72, p31.
Motor circuit for high, §71, p59.
Motor circuit for low, §71, p58.
of alternating-current series motor, §72, p18.
of car, Change of, due to change in gear ratio, §68, p13.
of car, Determination of, §68, p13.
of cars, §63, p36.
of cascade synchronism, §71, p13.
of three-phase induction motor, §71, p3.
-reducing gear, §68, p6.
regulation of repulsion motor, §72, p33.
-time curves, §69, p6.
Use of diverter for maximum, §68, p42.
variation, Theory of, §72, p33.
Speeding up car, Power required in, §63, p30.
Speeds, Cascade arrangements for three, §71, p15.
of car axle corresponding to various speeds of car, Table of, §68, p7.
of two-speed locomotives for Simplon Tunnel Railway, §71, p57.
Spindle, Combined wheel and track-brake, §67, p11.
Hand-brake, §67, p9.
Spindles, Self-lubricating, §66, p33.
Splice bars, §64, p17.
Splicing ear, §65, p18.
sleeve, §65, p18.
Spoke wheel, §66, p33.
Sprague-General-Electric alternating-current multiple-unit control, §72, p59.
-General-Electric type M control, §70, p36.
multiple-unit control, §70, p34.
Spring point of tramway track, §64, p32.
suspensations, Necessity for, §70, p13.
Square-root-of-mean-square value of current, §68, p5.
Squirrel-cage rotor, Control of motor with, §71, p29.
-cage rotor, Determination of resistance for, §71, p27.
Staff and tablet instruments, Use of, §73, p36.
Standard dimensions in track construction, §70, p83.
Double-deck trolley, §66, p34.
Pedestal trolley, §66, p34.
poles, Tests for, §65, p8.
tests for steel tramway poles, Table of, §65, p8.
tramway rails, Table of resistance of, §65, p54.
Standards, Dwarf trolley, §66, p36.
Trolley, §66, p34.
Starting car from rest, §63, p29.
Current relations at, in compensated repulsion motor, §72, p30.
signal, Advance, §73, p32.

Starting—(Continued)
voltage, §72, pp17, 30.
Start, Steepest incline on which car will, §63, p35.
Star wheel, §68, p37.
Static friction, Coefficient of, §67, p2.
Station, Oil-driven power, §63, p48.
or substation, Size of units in power, §63, p36.
Steam-driven power, §63, p47.
Stations, Combined lighting and traction generating, §63, p41.
Stator circuit of main motors, §71, p37.
of alternating-current series motor, §72, p23.
of repulsion motor, §72, p37.
Steady-strain bracket, §72, p75.
Steam and electric operation, Comparative working expenses for, §69, p39.
and electric traction, Comparative cost of, §69, p38.
and electric traction, Comparison of, §69, p10.
-driven power station, §63, p47.
locomotive, Cost of fuel with, §69, p40.
locomotives and electric-motor coaches, Acceleration of, §69, p15.
plant report, §63, p54.
railways, Arrangements of track circuit for, §73, p48.
Steel car, Single-deck, §66, p2.
for conductor rails, §64, p42.
for tramway rails, Specification of, §64, p3.
rails as conductors of alternating currents, §72, p87.
rails, Conductivity of, §70, p73.
Table of effect produced by various elements in, §64, p4.
-tired wheels, §66, p25.
tramway poles, Table of standard tests for, §65, p8.
Stoneware insulators, §70, p80.
Stop, Automatic train, §73, p47.
Stopping, Use of brakes in, §69, p25.
Storage batteries, §63, p5.
batteries, Limitations of use of, §63, p20.
-battery system, §63, p20.
Straight-line hangers, §65, p19.
Strain ear, §65, p17.
insulators, §65, pp5, 19, 23.
insulators, Table of breaking load and breakdown voltage of, §65, p24.
Stranded galvanized-steel wires, Table of, §65, p11.
Strips, Sliding, §70, p25.
Stud of G.B. surface-contact system, §63, p17.
switches, Lorain, §63, p13.
Studs, Contact, §63, p5.
Substations, Control from, §69, p32.
Distance between, §69, p31.
Substation, Size of units in power station or, §63, p36.
Suburban railways, Operations of urban and, §69, p5.
Sucking transformers, §72, p89.
Supply conductors, §70, p73.
Supporting transmission and trolley wires, Method of, §71, p64.
Surface-contact system, §63, pp4, 10.
-contact system, Dolter, §63, p15.
-contact system, G.B., §63, pp11, 17.
-contact system, Lorain, §63, p11.
-contact system, Robrow, §63, p19.
-contact system, Stud of G.B., §63, p17.
-contact system, Working of Dolter, §63, p16.
-contact system, Working of G.B., §63, p18.
-contact system, Working of Lorain, §63, p14.
Surfaces, Friction of, §67, p1.
Suspending motors on trucks, Methods of, §66, p18.
Suspension, Arrangement of cables in Siemens catenary, §72, p84.
Catenary, §72, p74.
Construction of gantry for Siemens catenary, §72, p86.
Cradle, §66, pp19, 23 ; §70, p14.
Disadvantages of rigid, §72, p79.
Insulator for Siemens catenary, §72, p86.
Nose, §66, p19 ; §70, p14.
of overhead conductor, §72, p74.
of single-phase motors, §72, p25.
of span wire, §65, p36.
of trolley wire, §65, p37.
Side-bar, §66, p23.
Siemens catenary, §72, p84.
Westinghouse nose, §66, p21.
Suspensions, Motor, §70, p13.
Necessity for spring, §70, p13.
Swing-bolster trucks, §66, p14.
Switch, Action of low-pressure, §71, p52.
Canopy, §66, p41.
-closed position, Interlock in, §72, p53.
Combined driver's valve and, §67, p36.
Main and reversing, §71, p44.
Operation of safety, §70, p42.
pillars, §65, p41.
Tongue, §64, p36.
Train-section, §69, p34.
Westinghouse canopy, §66, p41.
Switches, §66, p40.
Cut-out, §68, pp49, 59.
Limit, §70, p49.
Lorain stud, §63, p13.
Motor cut-out, §68, p54.
Necessity for unit, §70, p36.
Operation of controlling, §73, p37.
Switching barrel, §70, p63.
Period of, §69, p20.
Swivelling trolley head, §65, p29 ; §66, p29.
trolley heads, Frogs for, §65, p31.

Sykes block instrument, §73, p24.
lock-and-block signalling system, §73, p24.
lock-and-block signalling system, Operation of, §73, p30.
lock-and-block signalling system, Permissive working of, §73, p32.
rail contact, §73, p13.
signal reverser or replacer, §73, p18.
Synchronism, Speed of cascade, §71, p13.

T

Table of breaking load and breakdown voltage of strain insulators, §65, p24.
of coefficient of adhesion, §69, p14.
of comparison of characteristics of single motor with characteristics of cascade-connected motors, §71, p19.
of direct-current electric railways in Great Britain, §69, p3.
of effect produced by various elements in steel, §64, p4.
of electrolytic effect of current on various metals, §64, p64.
of hard-drawn copper trolley wire, §65, p14.
of lengths of rail equal to resistance to bond 1 foot long, §64, p56.
of maximum values of retardation, §69, p15.
of offset in trolley wire, §65, p40.
of order in which contactors close, §70, p48.
of particulars of conductor rails, insulators, and motors, §70, p74.
of particulars of electric tramway equipments, §63, p38.
of power consumption and costs of electric tramways for 1 year, §63, p40.
of resistance of cast-welded rail joints, §64, p45.
of resistance of electrically welded rail joints, §64, p46.
of resistance of hard-drawn copper trolley wire, §65, p52.
of resistance of silicium-bronze trolley wire, §65, p53.
of resistance of standard tramway rails, §65, p54.
of resistance of thermit-welded rail joints, §64, p47.
of results of electrification of railways, §69, p39.
of silicium-bronze trolley wire, §65, p15.
of sizes and weights of standard steel tie-bars, §64, p10.
of sizes of bond wires, §64, p55.
of speeds of car axle corresponding to various speeds of car, §68, p7.
of standard tests for steel tramway poles, §65, p8.
of standard tramway-rail sections and weights, §64, p5.
of stranded galvanized-steel wires, §65, p11.
of weights of fish-plates for standard rails, §64, p14.
of width of wheel tread for British standard rails, §64, p9.
Tablet instruments, Use of staff and, §73, p36.
Taps, Line, §65, p42.
Tap, Trolley, §66, p55.
Tar macadam and asphalt, Track paving with, §64, p41.
Telegraphic block systems, §73, p5.
Telegraph instruments, Combined three-wire block, §73, p7.
instruments, One-wire block, §73, p7.
instruments, Three-wire block, §73, p5.
instrument, Tyer one-wire block, §73, p7.
Telephonic bond tester, §64, p60.
Telltale, §66, p49.
Tension on trolley wire, §65, p38.
Tester, Everett-Edgecumbe bond, §64, p62.
Siemens bond, §64, p58.
Telephonic bond, §64, p60.
Testing insulating fittings, §65, p26.
Rail bond, §64, p57.
Test of rail bond, Drop-of-potential, §64, p58.
Tests for standard poles, §65, p8.
for steel tramway poles, Table of standard, §65, p8.
Thermit, Action of, in producing heat, §64, p20.
-welded joint, §64, p20.
-welded joint, Method of making, §64, p22.
-welded joints, Resistance of, §64, p46.
-welded rail joints, Table of resistance of, §64, p47.
welding, Equipment for, §64, p21.
Third rail, §63, p1 ; §69, p28.
rail, Calculations for, §69, p30.
rail, Sectionalization of, §69, p35.
-rail system, §63, pp5, 20 ; §69, p28.
Thomson-Houston automatic control, British, §70, p49.
-Houston B18 controller, British, §68, p58.
-Houston B18 controllers, Car-winding diagram for British, §68, p58.
-Houston car lightning arrester, British, §66, p52.
-Houston contactor, British, §70, p38.
-Houston geared motor, British, §70, p8.
-Houston G.E. 52 motor, British, §68, p24.
-Houston G.E. motor, Brush holders of British, §68, p27.
-Houston G.E. motor, Field coils of British, §68, p26.
-Houston K2 controller, British, §68, pp47, 55.
-Houston K2 controller, Simplified connection diagram of British, §68, p50.
-Houston K2 controllers, Car-wiring diagram for British, §68, p51.

Thomson—(Continued)
-Houston K12 controllers, Car-wiring diagram for British, §68, p57.
-Houston magnetic track brake, British, §67, p18.
-Houston master controller, British, §70, p39.
-Houston reverser, British, §70, p38.
Three-part **Y**, §64, p27.
-phase induction motor as asynchronous generator, Behaviour of, §71, p5.
-phase induction motor as asynchronous motor, Behaviour of, §71, p3.
-phase induction motor characteristics, §71, p6.
-phase motors, Compound, §71, p13.
-phase motor, Typical short run with single, §71, p8.
-phase railway, Burgdorf-Thun, §71, p32.
-phase railways, Overhead construction for, §71, p64.
-speed equipment, Acceleration with, §71, p16.
-speed equipment, Retardation with, §71, p17.
-speed locomotive for Valtellina Railway, §71, p53.
-wire block telegraph instruments, §73, p5.
-wire block telegraph instruments, Combined, §73, p7.
Throttle relays, §70, p49.
Through **Y**, §64, p27.
Thrown-over turnout, Right-hand, §64, p27.
Tie-bars, §64, p9.
-bars, Table of sizes and weights of standard steel, §64, p10.
Time-distance curves, §69, p6.
Tired wheels, Construction of, §66, p26.
Tongue switch, §64, p36.
Ton-mile, Watt-hours per, §69, p22.
Torque of three-phase induction motor, §71, p4.
Production of, §72, p29.
Relation between motor torque, gear ratio, and axle, §68, p11.
Tower wagons, §65, p35.
Track brake, British Thomson-Houston magnetic, §67, p18.
brake, Maley electro-mechanical, §67, p21.
brake, Pneumatic, §67, p11.
-brake spindle, Combined wheel and, §67, p11.
brake, Westinghouse electromagnetic, §67, p19.
brakes, §67, p10.
circuit for steam railways, Arrangement of, §73, p48.
-circuit signalling system, Westinghouse, §73, p49.
circuits, Principle of operation of, §73, p47.
construction, §70, p81.
construction, Board of Trade regulations governing, §70, p81.
construction for tube railways, §70, p82.
Track—(Continued)
construction, Standard dimensions in, §70, p83.
curves, Influence of, §69, p10.
Fixed, movable, and spring points of tramway, §64, p32.
friction, §69, p7.
gauge, §64, p9.
Gauge of tramway, §64, p1.
paving on macadam roads, §64, p40.
paving with granite setts, §64, p38.
paving with tar macadam and asphalt, §64, p41.
paving with wood blocks, §64, p39.
rails, §70, p81.
sections in Westinghouse signalling system, Conductors and, §73, p49.
work, Construction of special tramway, §64, p32.
work, Special tramway, §64, p26.
Tracks, Necessity for substantial construction of tramway, §64, p1.
Single and double tramway, §64, p2.
Traction, Comparative cost of steam and electric, §69, p38.
Comparison of steam and electric, §69, p10.
generating stations, Combined lighting and, §63, p41.
motor, Characteristic or performance curves of, §68, p9.
motor, Choice of size of, §68, p3.
-motor gears used in practice, §68, p8.
motor, Heating characteristics of, §68, p10.
motor, Speed characteristic of, §68, p9.
motors, Armature windings of, §68, p3.
motors, Comparison of types of, §68, p2.
motors, General features of, §68, p1.
motors, Lubrication of, §68, p5.
motors, Rating of, §68, p4.
motors, Use of shunt-wound, §68, p68.
Tractive effort, §63, p25.
effort, Change of, due to change in gear ratio §68, p14.
-effort curve, §68, p10.
-effort curves of repulsion motors, §72, p34.
effort of Westinghouse motor, §68, p23.
effort on incline, §63, p28.
effort, Total, §68, p12.
resistance, §63, p25 ; §69, p7.
resistance of wagons, §69, p8.
Trailer cars, §66, p1.
Trailing frogs, §65, p31.
Train control, Requirements of, §70, p31.
friction, §69, p8.
on line, §73, pp5 to 12, 33, 35.
out of section, §73, pp33, 35.
pipe, §67, p27.
Probable weight of, §69, p18.
section, §69, pp33, 34.
-section switch, §69, p34.

Train—(Continued)
service, Cost of energy for given, §69, p22.
stop, Automatic, §73, p47.
wires, §70, p34.
Trains, Board of Trade regulations governing construction and operation of motor-driven coaches and, §70, p28.
Tramway circuits, Electrolysis due to, §64, p66.
controllers, §68, p35.
equipments, Table of particulars of electric, §63, p38.
motors, Comparison of railway and, §70, p1.
poles, Table of standard tests for steel, §65, p8.
poles, Types of, §65, p6.
rail grooves and wheel flanges, §64, p8.
-rail resistance, Formulæ for, §64, p43.
-rail sections, §64, p4.
-rail sections and weights, Table of standard, §64, p5.
-rail sections, British standard, §64, p4.
rails, Composition of, §64, p3.
rails, Cross-section and weight of, §64, p7.
rails, Specification of steel for, §64, p3.
rails, Table of resistance of standard, §65, p54.
-station daily-log sheet, §63, p50.
-station daily results, Summary of, §63, p54.
-station records, §63, p50.
system, Large, §63, p45.
track, Fixed, movable, and spring points of, §64, p32.
track, Gauge of, §64, p1.
-track rails, Resistance of, §64, p42.
-track work, Construction of special, §64, p32.
-track work, Special, §64, p26.
tracks, Necessity for substantial construction of, §64, p1.
tracks, Single and double, §64, p2.
wheels and rails with bevelled heads, §64, p7.
Tramways Act, §63, p3.
and railways, Differences between, §69, p1.
Application for permission to construct, §64, p37.
Choice of motive power for, §63, p3.
Costs of, §63, p39.
Direct-current system for, §63, p3.
Distribution of power for, §63, p3.
Early, §63, p1.
Electric, §63, p1.
Equipment of typical, §63, p39.
Table of power consumption and costs of electric, for 1 year, §63, p40.
Transmission of power for, §63, p3.
Voltage of power supply for, §63, p4.
Transformer circuit, §71, p47.
E.M.F., §72, p7.
E.M.F., Direction of, §72, p7.
E.M.F.'s, Directions of, §72, p28.
voltage, §72, pp10, 11.
Transformers, Sucking, §72, p89.
Transition curves, §64, pp29, 30.
Translational acceleration, §69, p12.
Transmission, Alternating-current, §63, p22.
Alternating-current, and direct-current distribution, §63, p46.
and trolley wires, Method of supporting, §71, p64.
insulators, §71, p68.
of power for tramways, §63, p3.
Simple direct-current, §63, p22.
system, Cost of, §63, p24.
system, Diagram of extra-high-tension, §63, p24.
Traverser, §66, p58.
Tread for British standard rails, Table of width of wheel, §64, p9.
of wheel, §66, p23.
Treadle, Hollins, §73, p15.
Treadles, §73, p13.
Trigger type of life guard, §66, p27.
Triple valves, §67, p27.
Trolley arm, §66, p28.
-arm reverser, §65, p34.
boom, §66, p28.
head, §66, p28.
head, Construction of fixed, §66, p28.
head, Fixed, §65, p29.
head, Self-righting, §66, p31.
head, Swivelling, §65, p29 ; §66, p29.
heads, Frogs for fixed, §65, p29.
heads, Frogs for swivelling, §65, p31.
insulators, §71, p67.
Pantograph, §72, p69.
standard, Double-deck, §66, p34.
standard leakage indicator, Pringle, §66, p52.
standard, Pedestal, §66, p34.
standards, §66, p34.
standards, Dwarf, §66, p36.
system, §63, pp2, 4.
tap, §66, p55.
wheel, §65, p16 ; §66, p28.
wheels, §66, p31.
wheels, Lubrication of, §66, p33.
wire, §63, p4 ; §65, pp1, 14.
wire, Copper, §65, p14.
wire, Offset in, §65, p40.
wire, Pressure of wheel on, §66, p34
wire, Resistance of, §65, p53.
wire, Special, §65, p15.
wire, Suspension of, §65, p37.
wire, Table of resistance of hard-drawn copper, §65, p52.
wire, Table of resistance of silicium-bronze, §65, p53.
wire, Table of silicium-bronze, §65, p15.
wire, Tension on, §65, p38.
wires at curves, Securing, §65, p39.

Trolley—(Continued)
wires, Method of supporting transmission and, §71, p64.
Truck bearings, §66, p17.
Brill maximum-traction, §66, p15.
Compensating single, §66, p11.
Equal-wheel, §66, p14.
London County Council maximum-traction, §66, p16.
Maximum-traction, §66, p15.
M.G. equal-wheel, §66, p14.
Proportional-traction, §66, p15.
rigging, Arrangement of, §67, p8.
Single, §66, p8.
Standard four-wheel single, §66, p8.
Trucks, Bogie, §66, p11.
Double, §66, pp8, 11.
Maximum-traction, §67, p9.
Methods of suspending motors on, §66, p18.
Properties of, §66, p8.
Swing-bolster, §66, p14.
Types of, §66, p8.
Tube railways, Track construction for, §70, p82.
Tubular poles, §65, p6.
Turnbuckles, Insulated, §65, pp19, 24.
Turnout, Diamond, §64, p27.
Right-hand thrown-over, §64, p27.
Side, §64, p27.
Y, §64, p27.
Turret controller, §70, p56.
Twelve-pole motor, Connection of, §71, p56.
Two-motor equipment, §72, p40.
-speed equipment, Acceleration with, §71, p16.
-speed equipment, Regeneration with, §71, p15.
-speed equipment, Retardation with, §71, p16.
-speed locomotive for Valtellina Railway, §71, p48.
-speed locomotives for Simplon Tunnel Railway, §71, p57.
Tyer block instrument, Operation of, §73, p9.
lock-and-block signalling system, §73, p33.
lock-and-block signalling system, Operation of, §73, p34.
one-wire block telegraph instrument, §73, p7.
one-wire block telegraph instrument, Arrangement of commutator in, §73, p8.
one-wire block telegraph instrument, Arrangement of fields and armature in, §73, p8.
signal replacer, §73, p20.

U

Underframe of car, §66, p2.
Under-running collectors, §70, p23.
Uninsulated crossings, §65, p33.
Units in power station or substation, Size of, §63, p36.
Unit-switch control, Westinghouse, §70, p54.
-switch control, Westinghouse alternating-current, §72, p50.
-switch control, Westinghouse alternating-current and direct-current, §72, p56.
-switch control wiring, §70, p57.
-switch system of control, §70, p36.
-switches, Necessity for, §70, p36.
Unlocking magnet, §73, p25.
Unprotected bonds for conductor rails, §70, p76.
rail bonds, §64, p49.
Uralite, §70, p19.
Urban and suburban railways, Operations of, §69, p5.

V

Vacuum brake on Midland Railway, Arrangement of, §67, p36.
brakes, §67, pp26, 31.
brakes, Quick-release, §67, p37.
Valtellina Railway, §71, pp39, 64.
Railway, Equipment of motor coaches for, §71, p39.
Railway, Three-speed locomotive for, §71, p53.
Railway, Two-speed locomotive for, §71, p48.
Value of current, Square-root-of-mean-square of, §68, p5.
Values of current, Average and effective, §68, p4.
of retardation, Maximum, §69, p15.
Valve and switch, Combined driver's, §67, p36.
Lap position of, §67, p30.
Off position of, §67, p37.
On position of, §67, p37.
Positions of control, §67, p36.
Release position of, §67, pp31, 37.
Running position of, §67, pp31, 37.
Service position of, §67, p30.
Valves, Control, §67, p28.
Triple, §67, p27.
Vector diagram, §72, pp15, 29.
Voltage across armature and compensating coil, §72, p16.
Advantage of high, §69, p30.
-drop calculations, Simple, §65, p55.
drop in wires and rails, §69, p29.
Effect of increase in, §68, p10.
in main field coil, §72, p14.
of power supply for tramways, §63, p4.
ratio, §71, p55.
Reactance, §72, p10.
Running, §72, p17.
Starting, §72, pp17, 30.
Table of breaking load and breakdown, of strain insulators, §65, p24.
Transformer, §72, pp10, 11.
Use of high, §71, p2.
Voltages in short-circuited coils, §72, p10.

W

Wagons, Tower, §65, p35.
Tractive resistance of, §69, p8.
Water-power and coal, Comparison of, §69, p41.
Supply of coal and, to power house, §63, p41.
Watt-hours per ton-mile, §69, p22.
Web of wheel, §66, p23.
Weight in four-speed locomotive for Simplon Tunnel Railway, Disposition of, §71, p64.
in two-speed locomotives for Simplon Tunnel Railway, Distribution of, §71, p58.
of train, Probable, §69, p18.
on axle, Limit of, §69, p27.
Welded joint, Method of making, §64, p19.
joints, Resistance of, §64, p45.
Welder, Action of, §64, p18.
Welding, Equipment for electric, §64, p17.
Equipment for thermit, §64, p21.
Westinghouse alternating-current and direct-current unit-switch control, §72, p56.
alternating-current unit-switch control, §72, p50.
canopy switch, §66, p41.
car circuit-breaker, §66, p42.
car fuse, §66, p47.
electromagnetic track brake, §67, p19.
electro-pneumatic contactor, §70, p55.
electro-pneumatic control, §70, p54.
geared motor, §70, p12.
motor, Efficiency and output of, §68, p23.
motor, Performance of, §68, p22.
motor, Tractive effort of, §68, p23.
No. 200 motor, §68, p17.
nose suspension, §66, p21.
signalling system, Conductors and track sections in, §73, p49.
T1 controller, §68, p61.
T1 controllers, Car-wiring diagram for, §68, p63.
track-circuit signalling system, §73, p49.
track-circuit signalling system, Action of relays in, §73, p50.
track-circuit signalling system, Effects of leakage currents in, §73, p51.
track-circuit signalling system, Length of overlap in, §73, p51.
unit-switch control, §70, p54.
Wheel and track-brake spindle, Combined, §67, p11.
base, §66, p4.
brakes, Hand-applied, §67, p4.
brake, Simple, §67, p2.
diameter, Effect of change in, §68, p15.
Dished, §66, p26.
flanges, Tramway-rail grooves and, §64, p8.
gauge, §64, p9.
Index, §68, p37.
on trolley wire, Pressure of, §66, p34.
Reversed-dish, §66, p26.
Wheel—(Continued)
Sleet-cutting, §66, p33.
Solid, §66, p33.
Spoke, §66, p33.
Star, §68, p37.
tread for British standard rails, Table of width of, §64, p9.
Trolley, §65, p16; §66, p28.
Wheels and rails with bevelled heads, Tramway, §64, p7.
Car, §66, p23.
Chilled cast-iron, §66, p25.
Construction of tired, §66, p26.
Flexible coupling between rotor and, §71, p41.
Form and parts of car, §66, p23.
Lubrication of trolley, §66, p33.
Pony, §66, p14.
Size and material of car, §66, p24.
Steel-tired, §66, p25.
Trolley, §66, p31.
Winding, Action of compensating, §72, p3.
Compensating, §72, pp2, 3.
diagram of stator of three-phase induction motor §71, p24.
E.M.F.'s in drum, §72, p9.
Neutralizing, §72, p2.
shop, §66, p60.
Windings, Arrangement of motor, §71, p54.
Connections of commutating-pole, §72, p12.
Method of securing armature, §68, p20.
of traction motors, Armature, §68, p3.
Winter-Eichberg motor, §72, p1.
Wire, Copper trolley, §65, p14.
Ground, or earth, §66, p55.
Offset in trolley, §65, p40.
Pressure of wheel on trolley, §66, p34.
Resistance of trolley, §65, p53.
Special trolley, §65, p15.
Suspension of span, §65. p36.
Suspension of trolley, §65, p37.
Table of resistance of hard-drawn copper trolley, §65, p52.
Table of resistance of silicium-bronze trolley, §65, p53.
Table of silicium-bronze trolley, §65, p15.
Tension on trolley, §65, p38.
Trolley, §63, p4; §65, pp1, 14.
Wires and rails, Voltage drop in, §69, p29.
at curves, Securing trolley, §65, p39.
Calculations for overhead, §69, p28.
Contactor, §70, p32.
Crossing of contactor, §70, p32.
Deflector, §72, p83.
Guard, §65, p11.
Method of supporting transmission and trolley, §71, p64.
Methods of dealing with fallen, §65, p62.

Wires—(Continued)
Reverser, §70, p32.
Span, §65, p10.
Table of sizes of bond, §64, p55.
Table of stranded galvanized-steel, §65, p11.
Train, §70, p34.
Wiring, Car-lighting, §66, pp54, 56.
Car-power, §66, p54.
diagram, Dick-Kerr direct multiple-control, §70, p70.
diagram, Dick-Kerr multiple-unit controller, §70, p64.
diagram for four-speed locomotive for Simplon Tunnel Railway, §71, p61.
diagram for locomotive on Burgdorf-Thun three-phase railway, §71, p37.
diagram for motor coach on Valtellina Railway, §71, p46.
diagram for three-speed locomotive on Valtellina Railway, §71, p55.
Wiring—(Continued)
diagram for two-speed locomotive for Simplon Tunnel Railway, §71, p58.
diagram for two-speed locomotive on Valtellina Railway, §71, p51.
diagram, Unit-switch control, §70, p57.
of motor coaches, General arrangement of, §70, p29.
Type M control, §70, p43.
Unit-switch control, §70, p57.
Wood blocks, Track paving with, §64, p39.
Woodworking shop, §66, p59.
Working, Expenses in railway, §69, p41.
Safety in, §69, p32.

Y

Yokes, §63, p8.
Y, Plain, §64, p27.
Three-part, §64, p27.
Through, §64, p27.
turnout, §64, p27.